# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# SUPERIOR FERTILIZERS

## For the Lawn, Garden or Farm

(The Name ANDORRA guarantees the quality)

# CANADA UNLEACHED HARD-WOOD ASHES

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs. for new lawns.

#### PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to

run through a drill. Use 500 lbs. per acre.

	100-lb. bag	Ton	Cars, 12 to 25 tons
F. O. B. cars	\$1 00	\$11 00	\$9 per ton.
By wagon	1 25	13 00	

#### POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

	100-lb. bag	Ton	Cars, 12 to 25 tons
F. O. B. cars	81 25	\$13.50	\$11 50 per ton.
By wagon		15 50	

PEAT We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., \$1. In sacks, \$15 per ton,

#### PURE GROUND BONE

A brand of excellent quality. Analysis on request.

	200-lb. bag	Ton	Cars, 15 to 30 tons
F. O. B. cars	\$3 50	\$30 00	Special price
By wagon		32 50	

# Andorra Nurseries

#### CHESTNUT HILL. PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY .- The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are gen-

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

#### TERMS AND CONDITIONS

ORDERS.—All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING.—All goods are thoroughly packed, thus avoiding risk, if de-layed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped

RISK .- All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS CASH WITH ORDER event to persons who satisfy us as to

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.
Address all orders to

#### ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA



Nursery Entrance and Office.


# **EVERGREEN TREES**

Each	10
ABIES balsamea. Balsam Fir. 3 to 4 ft\$2 00	\$17 50
4 to 5 ft, 3 00	27 50
5 to 6 ft 3 50	32 50
Canadensis. See Tsuga Canadensis.	
concolor. White Fir. 3 to $3\frac{1}{2}$ ft $\frac{3}{50}$	
3½ to 4 ft	Non-model and
4 to 4½ ft	
4½ to 5 ft 1 50	
5 to 6 ft	Water Service
0 10 9 11	
nobilis, var. glauca. Noble Silver Fir. 3½ to 4 ft 4 50	
4 to $\frac{41}{9}$ ft 6 00	
3) [0 0 11	
Nordmanniana. Nordmann's Fir. 3 ft 3 50	42 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 450$	$\frac{42}{57} \frac{50}{50}$
$\frac{3_{\frac{1}{2}}}{5}$ to $\frac{4}{5}$ ft	
$4$ to $4\frac{1}{2}$ ft. Specimens	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
6 to 12 ft. Fine specimens. Prices on application.	
pectinata. European Silver Fir. 4 to 5 ft 2 50	20 00
5 to 6 ft	
6 to 8 ft	)
	27 50
	37 50
6 to 7 ft. Very heavy 6 00 7 to 9 ft	
7 to 9 ft. Wayy baryy \$7.50 to 10.00	)

Each	10
BIOTA orientalis, var. aurea. 3½ to 4 ft	017 50
orientalis, var. aurea nana. 15 to 18 in	\$17 50
3 to 4 ft. 3 50 4 to 5 ft. 5 00	32 50
4 to 5 ft 5 00 5 to 7 ft \$5 to 7 50	
5 to 7 ft	
vitæ. 3 to 3½ ft 3 50	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 6 ft 7 50	70 00
orientalis, var. conspicua. 5 to 6 ft	70 00
orientalis, var. conspicua. 5 to 6 ft 5 00 6 to 7 ft	10 00
borvitæ. 5 to 32 it 5 30	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
orientalis, var. filiformis; syn., Japonica. Thread-	
branched Arborvitæ. $2\frac{1}{2}$ to 3 ft	22 50
4 to 5 ft	
orientalis, var. semperaurescens. Ever-golden Arbor-	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar—	
5 to 6 ft 4 50	42 50
6 to 7 ft 6 00 7 to 8 ft	$\frac{55}{70} \frac{00}{00}$
8 to 10 ft	.000
<b>Deodara.</b> Deodar, or Indian Cedar. $2\frac{1}{2}$ to 3 ft 3 50 <b>Libani</b> , var. <b>Sargenti pendula</b> . $2\frac{1}{2}$ to 3 ft + 3 00	
CEPHALOTAXUS Fortunei. Fortune's Yew. 3 to 4 ft 3 50	
4 to $4\frac{1}{2}$ ft 4 00	
5 to 6 ft. Very broad and heavy 7 50 pedunculata. 5 to 6 ft 7 50	
CRYPTOMERIA Japonica elegans. 5 to 6 ft 5 00	
6 to 7 ft	
Japonica, var. Lobbi compacta.         3 to 3½ ft.         2 50           6 to 7 ft.         6 00	
7 to 8 ft 7 50	
7 to 8 ft	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
$2\frac{1}{2}$ to 3 ft	27 50
JUNIPERUS Canadensis. Spreading Canadian Juniper—	
.10 to 12 in. spreadper 100, \$60 1 00 15 to 18 in. spread	$\begin{array}{c} 9 & 00 \\ 12 & 50 \end{array}$
15 to 18 in. spread	12 50
Canadensis, var. aurea; syn., Douglasi. Douglas'	0 =0
Golden Juniper. 12 to 15 in. spread 1 00 15 to 18 in. spread	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$
18 to 24 in spread Heavy 2 00	12 90
2 ft. spread. Heavy 2 50  2 ft. spread. Heavy 2 50  2 $\times$ 2½ ft. spread. Heavy 3 50  3 $\times$ 3½ ft. spread. $\times$ 5 00	
2 x 2½ ft. spread. Heavy	
Gananensis var nrostrata Tratting Ganadian	
Juniper. 12 to 15 in	
15 to 18 in 2 00	

6	ANDORRA NURSERIES	
	Each	10
HINIPERUS	Chinensis. Chinese Juniper. 3 ft\$2 00	\$17 50
JOHN LINES	$3\frac{1}{2}$ to 4 ft	32 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00
	5 to 6 ft	55 00
	6 to 7 ft	70 00
	Chinensis, var. argentea marginata. A grand	0= =0
	hardy variety. $2\frac{1}{2}$ to 3 ft	$\begin{array}{c} 27 & 50 \\ 42 & 50 \end{array}$
	$3\frac{1}{2}$ to 4 ft	42 00
	5 to 6 ft + \$6 to 7 50	
	5 to 6 ft	
	Chinensis, var. aurea. Golden Chinese Juniper-	
	$2\frac{1}{2}$ to 3 ft	
	$3^{2}$ to $3\frac{1}{2}$ ft	
	4 to 5 ft	
	Chinensis, var. Pfitzeriana. 3 ft	
	communis. Common Upright Juniper—	
	3 to $3\frac{1}{7}$ ft	
	5 to 6 ft	
	6 to 7 ft	
	communis, var. oblonga. 5 ft 3 50	
	communis, var. Suecica. Swedish Juniper—	00 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 22 & 50 \\ 32 & 50 \end{array}$
	$3\frac{1}{2}$ to 4 ft. $\frac{1}{2}$ 3 50 Fortunei. $3\frac{1}{2}$ to 4 ft. $\frac{1}{2}$ 3 50	32 50
	4 to $4\frac{1}{5}$ ft 4 00	37 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	4 to 5 ft	
	Japonica, var. aurea. Golden Japan Juniper—	19 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 13 & 50 \\ -22 & 50 \end{array}$
	$2\frac{1}{2}$ to $3$ ft	$\frac{22}{32} \frac{50}{50}$
	3 to 3½ ft	37 50
1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
	4 to 5 ft	
	5 to $5\frac{1}{2}$ ft	00.50
	recurva. 2 to 2½ ft	22 50
	2 to 2½ ft. spread	
	2½ to 3 ft. spread 3 50	
	3 to 4 ft. spread	
	rigida.       7 to 10 ft.       \$7.50 to 10 00         Sabina.       Savin Juniper.       12 to 15 in.       1 00         18 to 24 in.       2 00	0.00
	Sabina. Savin Juniper. 12 to 15 in 1 00	9 00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 18 & 50 \\ 22 & 50 \end{array}$
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{22}{32} \frac{50}{50}$
	Sabina, var. aurea variegata. Savin's Golden	02 00
	Juniper. $1\frac{1}{2}$ to 2 ft	12 50
	2 to 2\frac{1}{2} ft, \ldots \ldots \ldots \dagger \da	32 50
	Sabina, var. tamariscifolia. $1\frac{1}{2}$ to 2 ft	13 50
	$\frac{2 \text{ to } 2\frac{1}{2} \text{ ft.}}{2 \text{ to } 2} \frac{1}{2} \text{ ft.} \dots \frac{1}{2} \frac{2}{2} \frac{50}{200}$	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
- / 19	2½ to 3 ft 3 00 Virginiana. Red, or Virginia Cedar. 3 to 3½ ft 1 50	13 50
	34 to 4 ft	22 50
	4½ to 5 ft 3 50	32 50
	5 to 8 ft	

polita. Tiger's Tail Spruce. 5 to 7 ft......\$5 to 10 00



	Thooh	10
	Each	10
PICEA pungens. Colorado Spruce. $2\frac{1}{2}$ to 3 ft		00= F0
3 to $3\frac{1}{2}$ ft		\$37 50
$3\frac{1}{2}$ to 4 ft		45 00
4 to 5 ft	. 7 50	
■ 6 to 8 ft	15 00	
pungens, var. glauca. Blue Colorado Spruce-		
2 to 2½ ft. Selected color	. 3 00	
2½ to 3 ft. Selected color	. 3 50	32 50
3 to 3½ ft. Selected color		
3½ to 4 ft. Selected color		
5 to 8 ft. Selected color		
pungens, var. Kosteriana. Koster's Blue Colorad		
Spruce. 2 to $2\frac{1}{2}$ ft		32 50
2½ to 3 ft. Specimens		
3 to 3⅓ ft. Specimens		
$3\frac{1}{2}$ to $4$ ft. Specimens	12 50	
4 to 5 ft. Specimens	15 00	
6 to 7 ft. Grand specimens +\$15 to	35 00	
pungens, var. pendula. Weeping Blue Colorado Spruce	_	
4 to 4½ ft. Fine specimens		
$5$ to $5\frac{1}{2}$ ft. Fine specimens	15 00	
PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft		12 50
3 $\frac{1}{2}$ to 4 ft		27 50
	0 -0	32 50
$\frac{4}{2}$ to $4\frac{1}{2}$ ft	- 00	47 50
$\frac{4\frac{1}{2}}{2}$ to 5 ft		41 90
5 to 8 ft\$6 to		22 50
Cembra. Swiss Stone Pine. 2 to 2½ ft	$\frac{2}{2} \frac{50}{50}$	$\frac{22}{32} \frac{50}{50}$
$\frac{2^1}{2^2}$ to $\frac{3}{2^2}$ ft		
$3$ to $3\frac{1}{2}$ ft		37 50
$\underline{}$ 3½ to $\overline{4}$ ft		47 50
$4$ to $4\frac{1}{2}$ ft	. 7 50	
5 to 6 ft	10 00	

Fooh	10
PINUS excelsa. Bhotan Pine. 2½ to 3 ft	10 \$22 50 32 50 37 50 47 50 13 50 17 50 12 50 17 50 32 50
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 00 6 00 8 50 12 50 17 50 20 00 27 50 32 50
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	12 00 25 00 32 50 37 50 22 50 32 50 15 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00 22 50 32 50 8 50 32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	

10	ANDORRA NURSERIES	
DETINOCHODA	Each	10
RETINUSPURA	leptoclada.       Thuya-like Japan Cypress—         2½ to 3 ft.       \$2 50         3 to 3½ ft.       3 00         3½ to 4 ft.       3 50         lycopodioides.       Club-moss Japan Cypress—	\$22 50 27 50 32 50
	2½ ft	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 18 \ 50 \\ 22 \ 50 \\ 32 \ 50 \\ 47 \ 50 \end{array}$
	obtusa, var. compacta. Compact Obtuse-leaved Japan Cypress. $2\frac{1}{2}$ to $3$ ft	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 32 50 47 50
	Cypress. 1 ft.	13 50 17 50 22 50 27 50
	tuse-leaved Japan Cypress— $1\frac{1}{2}$ ft	22 50 32 50 47 50 55 00 70 00
	5 to 6 ft	18 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	27 50 30 00 37 50 47 50
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 00 13 50 22 50 32 50 37 50

#### PRICE LIST FOR SPRING OF 1910

Each	10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$9 00 22 50 32 50 70 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4 00 6 00 22 50 32 50 37 50 45 00
1½ to 2 ft	13 50 22 50 30 00 45 00 70 00 90 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50 17 50 22 50 32 50 47 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00 32 50
3½ to 4 ft. Specimens	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	

2.4	mibonin noncentre				
TAVIIS	baccata, var. erecta. Erect English Yew-	Eac	eh	10	
IAAUS	2 to $2\frac{1}{2}$ ft	.\$2	50		
	$2\frac{1}{2}$ to $\frac{3}{2}$ ft	. 3	50	\$32 5	50
	4 to 4½ ft	0 7	50		
	baccata, var. erecta aurea. Erect Golden Englis Yew. 2 to $2\frac{1}{2}$ ft	n 2	75		
	baccata, var. erecta, Overeynder. (Form similar t	0	10		
	Fastigiata.) 5 to 6 ft	12			
	baccata, var. fastigiata. Irish Yew. $1\frac{1}{2}$ ft	. 1	50	13 5	50
	3 ft	$\frac{3}{7}$	50 50		
	4 to 6 ft. Specimens	15	00		
	baccata, var. fastigiata aurea. Golden Irish Yew-				
	2. ft →	2	50		50
	$2\frac{1}{2}$ ft. $+$ \$7.50 to	. ă	00 00	32 5	90
	$3\frac{2}{3}$ to 4 ft. $+$ .\$7.50 to 4 to 5 ft. $+$ .\$10 to	15	00		
	harasta an amazilia nandula 9 ta 91 Ct		$\sim$		
	4 to 5 ft. ∫ NF W \+\$6 t	0_7	50		
	5 to 7 ft. (1 <b>\L \V</b> )+\$7.50 to	19	00		
	4 to 5 ft. { NEW }	1	50		
	baccata, var. Washingtoni aurea. Washington's Golde	n i	00		
	English Yew. $2\frac{1}{2}$ to 3 ft	. 3	50		
	3 to $3\frac{1}{2}$ ft	0.7	50		
	Canadensis, var. aurea. Golden Canadian Yew—	10	00		
	2 to 2½ ft	. 3	50	32 7	50
	3 ft	. 5	00	47 5	50
	$3\frac{1}{2}$ to 5 ft	12	00	18 5	50
	1½ ft	. 2	50	10 e	00
	2 ft	. 3	50		
	2½ ft	. 5	00	40 =	-0
	cuspidata, var. brevifolia. 12 to 15 in	. 2	50	18 5	00
	$2^{\circ}$ ft	. 3	50		
	$2\frac{1}{2}$ ft				
	cuspidata, var. capitata. $2 \text{ ft.}$ $+$ $2\frac{1}{2} \text{ ft.}$ $+$	. 3	50		
	3 ft				
THILLD					
Inotor	PSIS borealis; syn., Cupressus Nutkaensis. Yellow of Sitka Cypress—	L			
	3 to 4 ft	. 3	50		
	5 to 7 ft. Specimens	15	00		
	borealis, var. latifolia glauca. Glaucous Sitka Cy press. 3½ to 4 ft	. 3	50	32 5	10
	4 to $4\frac{1}{2}$ ft. Specimens	. 5	00		
	5 to 6 ft. Specimens $\dots, +$ .	. 7	50		
	borealis, var. pendula. Drooping Sitka Cypress— 4 to 5 ft	- 2	00		
	6 to 7 ft	. 6	00		
	Standishi. Standish's Sitka Cypress—				
	8 to 9 ft. Specimens,	, 15	00		

### PRICE LIST FOR SPRING OF 1910

	77.0	a la	10
THUYA occidentalis. American Arborvitæ— $\frac{2^{1}}{2}$ to 3 ft	Ea \$75\$1	00	\$8,00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	801	25	10 00
$3\frac{1}{2}$ to $4$ ft	1001	50	13 50
4 to 4½ ft.; very heavyper 100, \$ 4½ to 5 ft.; very heavy	$175\frac{2}{2}$	00 50	$\frac{19}{22} \frac{00}{50}$
5 to 5\frac{1}{2} ft.: very heavy	3	00	27.50
$5\frac{1}{2}$ to 6 ft.; very heavy	3	50	$\frac{32}{50}$
6 to 7 ft.; very heavy	4	UU	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
8 to 9 ft. Specimens	\$5 to 7	50	T= 90
occidentalis, var. aurea. George Peabody's Arborv	itæ		
$2\frac{1}{2}$ to 3 ft	. †	50 50	
$ \frac{3}{4} \text{ to } \frac{3\frac{1}{2}}{5} \text{ ft.} \dots \dots$	.¥ 4	00	37 50
5 to 6 ft	<b>→</b> 5	00	45 00
7 to 10 ft. Specimens	0 to 15	00	
3½ to 4 ft	·\\ 3	50	
4 to 5 ft	4	00	37 50
5 to 6 ft	. + 5	00	$\frac{45}{50} \frac{00}{00}$
6 to 7 ft.  occidentalis, var. globosa. Globe Arborvitæ—	.+ 7	50	70 00
15 to 18 in	.+ 1	50	13 50
$\frac{1}{2}$ to $\frac{2}{2}$ ft	2	50	$\frac{22}{20}$ $\frac{50}{20}$
$2^2$ to $2^{1\over 2}$ ft. ${f occidentalis}$ , var. <b>Hoveyi</b> . Hovey's Golden Arborv	.÷ 3	50	32 50
2 ft	· <del>+</del> 1	50	13 50
$2\frac{\text{ft.}}{2}$ to 3 ft. Very heavy 3 to $3\frac{1}{2}$ ft. Very heavy 4.	.+2	50	22 50
3 to 3½ tt. Very heavy	. <b>↑</b> 3	50 50	.32 50
occidentalis, var. Lobbi. Lobb's Arborvitæ. 4½ to 5 to 7 ft. occidentalis, var. Lobbi aurea. 4 to 5 ft.	\$5 to 7	50	202 00
occidentalis, var. Lobbi aurea. 4 to 5 ft	.+ 3	00	27 50
			$\frac{32}{42} \frac{50}{50}$
6 to 7 ft. occidentalis, var. pyramidalis. Pyramidal Arbory	itæ—	. 50	12 00
5 IO 5 II		อบ	
3½ to 4 ft. 4 to 5 ft.	$\vdots \vdots \vdots Z$	50	$\frac{17}{22} \frac{50}{50}$
5 to 6 ft.	. ♦ 3	50	$\frac{5}{32} \frac{50}{50}$
6 to 8 ft	\$4 to 6	00	
6 to 8 ft. $\bullet$ cocidentalis, var. recurva nana. $2\frac{1}{2}$ to 3 ft. $\bullet$ \$3 to $3\frac{1}{2}$ ft. $\bullet$ .	.50 to 5.	50 50	
occidentalis, var. vervæneana. vervæne s Arborv	1tæ		
3 to $3\frac{1}{2}$ it	3	50	32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			$\frac{37}{42} \frac{50}{50}$
5 to 6 ft.	5	00	47 50
6 to 7 ft. Heavy specimens 7 to 8 ft. Heavy specimens 8 to 9 ft. Heavy specimens	.+7	50	70 00 .
to 8 ft. Heavy specimens	110	00	
occidentalis, var. Wareana. Siberian Arborvitæ—	-	00	
2 to $2\frac{1}{2}$ ft	50 2	50	22 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2503	50	32 50
$4\frac{1}{2}$ ft.; very heavy			37 50 47 50
5 ft.: very heavy	6	00	57 50
5 to 5½ ft.; very heavy	.*7	50	70 00
$5\frac{1}{2}$ to 6 ft.; very heavy	· 4 · · TO	00	

 $50 \\ 00 \\ 50 \\ 50 \\ 00$ 

	Each	1
THUYA occidentalis, var. Wareana aurea. 2½ ft	\$2.50	\$22
$3\frac{1}{2}$ to 4 ft	3 00	28
$4\frac{1}{2}$ to $5$ ft		$\frac{20}{42}$
_ 5 to 6 ft	5 00	47
TSUGA Canadensis. Hemlock. 1½ to 2 ft.	75	
$2 \text{ to } 2\frac{1}{2} \text{ ft}$	1 00	$\frac{4}{7}$
$2\frac{1}{2}$ to $3$ ft		10
2 4 21 4		13
$\frac{3}{3\frac{1}{2}}$ to $\frac{3}{4}$ ft GRAND $\begin{bmatrix} \bullet \\ \cdot \end{bmatrix}$ GRAND		$\frac{13}{17}$
		$\frac{1}{20}$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		99
$5$ to $5\frac{1}{2}$ ft		$\frac{22}{27}$
$5\frac{1}{2}$ to $6$ ft		$\frac{1}{32}$
6 to 10 ft. Heavy specimens		02
The finest and largest stock offered.	\$4 to 19 oo	
Canadensis, var. Sargenti pendula. Weeping Her	mloek	
2 to 5 ft. Specimens		
Caroliniana. Southern Hemlock. 3 to $3\frac{1}{2}$ ft	3 50	
6 to 7 ft. Specimens		
<b>Hookeriana.</b> Alpine Hemlock. $2\frac{1}{2}$ to 3 ft		
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$		
4 to $4\frac{1}{2}$ ft		
5 to 6 ft		
5 to 7 ft,	. DO 10 1 DO	



Showing fibrous roots of Hemlock.



A Block of Box Bush and Evergreens.

## **EVERGREEN SHRUBS**

L V LICONLLIN SIINCES		
	Each	10
ANDROMEDA Catesbæi. See Leucothoë.		
floribunda. 12 in	\$1 50	\$13 50
12 to 15 in		16 00
2 to $2\frac{1}{2}$ ft. Specimens	15 00	
Japonica. 12 in		10 00
12 to 15 in		12 50
15 to 18 in		18 50
18 to 24 in		$20 \ 00$
AZALEA amœna. 12 to 15 in		8 50
15 to 18 in. Bushy		12 50
$\frac{1_{\frac{1}{2}}}{2}$ ft. Bushy		17 50
2 ft. Bushy		22 50
$2\frac{1}{2}$ ft. Specimens	. 3 50	
amæna, var. Hinondigiro. Bright carmine—	- 00	
10 to 12 in	100	7 50
18 in	. 1 50	13 50
Indica alba. Pure white. 18 to 20 in		22 50
20 to 22 in		32 50
22 to 24 in	. 5 00	$\begin{array}{c} 47 & 50 \\ 12 & 50 \end{array}$
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft	9 00	$\frac{12}{17} \frac{50}{50}$
$1\frac{1}{2}$ to 2 ft	. 2 00	11 50
Japonica, var. aurea. Golden Japanese Box-	1 00	9 00
12 to 15 in		12 50
15 to 18 th		$\frac{12}{15} \frac{30}{00}$
$2^{\frac{1}{2}}$ ft		$\frac{13}{22} \frac{50}{50}$
$2\frac{1}{2}$ ft		$\frac{22}{32} \frac{50}{50}$
sempervirens. Common Box. Ball-shaped—	. 5 50	52,50
15 x 15 in.	2 00	
19 x 13 m. 1½ x 1½ ft		
2 x 2 ft		

Eacl	h 10	
BUXUS sempervirens. 1 ft. Andorra-grownper 100, \$40\$0 7	75 \$6	00
$1\frac{1}{2}$ ft.; light Andorra-grownper 100, \$501 0 2 ft.; Andorra-grown	(CF 03	
$2\frac{1}{2}$ ft.; Andorra-grown	$\frac{13}{50}$	
3 ft.; Andorra-grown. Specimens 4 5	50 40	
3½ ft.; Andorra-grown. Specimens. + 6 0 Andorra-grown. Specimens. + 7 5	$\begin{array}{ccc} 50 & 54 & 67 & 67 & 67 & 67 & 67 & 67 & 67 & 6$	
$4\frac{1}{2}$ ft.; Andorra-grown, Specimens. $\star$ 10 0	00 - 90	
5 to $5\frac{1}{2}$ ft.; Andorra-grown. Specimens	20	
*, \$12.50 to 25 0	)0	
$2\frac{1}{2}$ ft.; Andorra-grown. Specimens	00	
3 ft.; Andorra-grown. Specimens	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 ft.; Andorra-grown. Specimens	$\frac{50}{50}$	
4½ ft : Andorra-grown Specimens + 10.0	10 : 90 (	
$5$ ft.; Andorra-grown. Specimens. $+$ .12 5 $\frac{1}{2}$ ft.; Andorra-grown. Specimens. $+$ .15 0	$\begin{array}{cccc} 50 & 112 & 60 \\ 00 & 125 & 6 \end{array}$	
sempervirens. Standards-		017
2 ft. stems; 18 in. head. Andorra-grown	i0	
2 to $2\frac{1}{2}$ ft. stems, 22 to 24 in. head. Andorragrown	00	
grown		
grown	50	-0
sempervirens, var. angustifolia. 12 to 18 in 1 5 sempervirens, var. arborescens. Tall Tree Box—	50 13	90
$2\frac{1}{2}$ to 3 ft	50 32	50
3 to $3\frac{1}{2}$ ft	90 47	50
sempervirens, var. argentea marginata. Silver-tipped Box. $1\frac{1}{2}$ to 2 ft	50 13	50
sempervirens, var. decussata. $4\frac{1}{2}$ to 5 ft	50	
sempervirens, var. decussata. $4\frac{1}{2}$ to $5$ ft. $ 35$ 5 to $5\frac{1}{2}$ ft. $ 50$ 6 sempervirens, var. Handsworthi. $3$ to $3\frac{1}{2}$ ft. $ 4$ 0	00	
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft $\bigstar$ . 4 to $4\frac{1}{2}$ ft $\bigstar$ . 5 0	$\begin{array}{ccc} 00 & 37 & 00 \\ 00 & 42 & 00 \end{array}$	
sempervirens, var. Japonica; syn., latifolia—		
9 to 91 ft   2 5	$\frac{50}{22}$	50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 50 & 32 & 60 \\ 00 & 42 & 60 \end{array}$	
$3\frac{1}{2}$ to 4 ft	5Ŏ	
sempervirens, var. myrtifolia. Myrtle Leaf—		50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$egin{array}{ccc} 50 & 42 & 0 \ 00 & 0 & 0 \end{array}$	30
sempervirens, var. suffruticosa. Dwarf Box Edging—		
3 to 4 in	25 1 i	75 50
	$\frac{1}{2}$	
CERASUS Laurocerasus Caucasica. Caucasian Laurel—		
1 to $1\frac{1}{2}$ ft	$\begin{array}{ccc} 00 & & \\ 50 & 22 \end{array}$	50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 50 & 22 & 50 & 32 & 50 & 32 & 50 & 50 & 50 & 50 & 50 & 50 & 50 & 5$	50 50
Laurocerasus, var. Schipkaensis. $1\frac{1}{2}$ to 2 ft 2 0	00 17 3	50
2 to 2½ ft	50 22 3	50
CHAMÆDAPHNE calyculata. Leather Leaf— 12 to 18 in	50 4 (	00
	75 6 (	
COTONEASTER IIICIOPHYHA. 10 to 12 III	0 0	90



Rhododendrons at Andorra.

## **RHODODENDRONS**

#### YRRID VARIETIES - ANDORRA GROWN

HYB	RID VARIETIES — ANDORRA GROWN	
RHODODENDRONS.	Catawbiense Hybrids Assorted. Our selec-	
	tion of varieties— Each	10
	15 to 18 in	\$10.00
	$1\frac{1}{2}$ to 2 ft $\bigstar$ . per 100, \$125 1 50	13 50
	2 to $2\frac{1}{2}$ ft $+$ . per 100, \$175 2 50	$20 \ 00$
	A large stock of fine, heavy plants,	
	3 to 5 ft. Prices on applica-	
	tion.	
	Abraham Lincoln. Rosy crimson—	
	$1\frac{1}{2}$ to 2 ft $\frac{1}{2}$ $\frac{75}{2}$	15 00
	$2$ to $2\frac{1}{2}$ ft	
	Album elegans. White-	
	$\frac{2}{2}$ to $\frac{21}{2}$ ft $\frac{2}{2}$ 00	17 50
	$\frac{3}{2}$ to $3\frac{1}{2}$ ft	
	$3\frac{1}{2}$ to $4$ ft	17 50
	Album grandiflorum. White. 2 to $2\frac{1}{2}$ ft. $2\frac{00}{2}$	17 50
	$\frac{2\frac{1}{2}}{1}$ to 3 ft $\frac{3}{7}$ 00	
	$3\frac{7}{2}$ to 4 ft	
	Atrosanguineum. Dark scarlet—	15 00
	15 to 18 in 1 75	15 00
	$\frac{1_{\frac{1}{2}} \text{ to } 2 \text{ ft.}}{2 \text{ ft.}}$	17 50
	Betsy Parsons. Reddish purple—	
	$\frac{4 \text{ to } 4\frac{1}{2} \text{ ft.}}{11 \text{ to } 9 \text{ ft.}}$	17 50
	Blandyanum. Rosy crimson. $1\frac{1}{2}$ to 2 ft. $200$	11 90
	$\frac{2}{2}$ to $\frac{21}{2}$ ft	
	2½ to 3 ft	
	3 to 4 ft. Specimens\$5 to 15 00	

Each	10
RHODODENDRONS, purpureum crispum. Purple. Crimped— $1\frac{1}{2}$ to 2 ft	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	17 50 22 50 30 00 47 50
NATIVE VARIETIES—ANDORRA GROWN	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$17 50
maximum. Great Laurel. 15 to 18 in 1 00	7 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 11 & 00 \\ 17 & 50 \\ 25 & 00 \\ 40 & 00 \\ 60 & 00 \end{array}$
We have an excellent stock of larger specimens; prices on ap Having good facilities for collecting <i>Rhododendron maximum</i> , we of by the carload, in sizes from 2 to 7 feet, at special prices.	plication. ffer them
DWARF VARIETIES—ANDORRA GROWN	
RHODODENDRON Hammondi.       1½ ft.       \$2 00         2 ft.       2 50         Hirsutum.       12 to 15 in.       1 50         odoratum.       Fragrant.       12 to 15 in.       2 00         15 to 18 in.       2 50         24 in.       3 00         punctatum.       Dotted.       15 to 18 in.       1 50         18 to 24 in.       2 50         Wilsonianum.       12 to 15 in.       1 75         YUCCA filamentosa.       Adam's Needle.       3-yr.       35         4-yr.       50         Heavy clumps       \$1.50 to 2 50	\$17 50 22 50 13 50 17 50 20 00 25 00 13 50 20 00 15 00 2 00 3 00

### **DECIDUOUS TREES**

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches where they round off to form the top; diameter of stem, or caliper, is taken above the collar.

		Each	10
ACER	campestris. European Cork Maple. 4 to 5 ft	.\$0 75	\$6 00
	5 to 6 ft,	. 1 00	8 50
	7 to 8 ft	. 1 50	12 50
	8 to 10 ft	. 1 75	15 00
	colchicum, var. rubrum, Red Colchicum Maple-		
	10 to 12 ft.; $2\frac{1}{2}$ in. cal	. 1 75	15 00
	12 to 14 ft.; $2\frac{5}{4}$ to 3 in. cal		32 50



Straight Norway Maples in Wide Rows.

	·			
		Each	10	100
ACER	dasycarpum. Silver Maple—			
	12 to 14 ft.; 2 to $2\frac{1}{2}$ in	00 02	\$15 00	
			$\frac{$13}{22} \frac{50}{50}$	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in	2 50		
	12 to 14 ft.; 3 to $3\frac{1}{2}$ in	3 50	30 00	
	4 to 6 in. Specimens\$5 to	$15 \ 00$		
	A rapid grower for immediate effects.			
	dasycarpum, var. Wierii laciniatum. Wier's			
	Cut-leaved Silver Maple—			
	10 to 12 ft.; $1\frac{3}{4}$ to 2 in	1.50	13 50	
	$12 \text{ to } 14 \text{ ft.}; 2\frac{1}{2} \text{ in.} \dots$	3 50	32 50	
	19 to 14 ft . 91 to 9 in	5 00	32 30	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in\$3.50 to	5 00		
	Negundo. Ash-leaved Maple—		0 -0	
	8 to 10 ft.; $1\frac{1}{2}$ to 2 in	1 00	8 50	
	10 to 12 ft.; 2 to $2\frac{1}{2}$ in	1 50	10 00	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in	2 50	20 00	
	Pennsylvanicum. 6 to 7 ft	1.50		
	platanoides. Norway Maple-			
	8 to 10 ft · 11 in	1.50	12 50	\$100 00
	8 to 10 ft.; $1\frac{1}{2}$ in	1 75	15 00	
	10 to 12 ft., 17 to 2 ff.	1 10		
	10 to 12 ft.; 2 to $2\frac{1}{4}$ in		20 00	175 00
	12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in		22 50	225 00
	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	3 00	27 50	$250 \ 00$
	12 to 14 ft.; $2\frac{3}{4}$ to 3 in	3 50	$32 \ 50$	275 00
	14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in	4 00	35 00	325 00
	14 to 16 ft.; $3\frac{1}{2}$ to $3\frac{3}{4}$ in	4 50	42 50	400 00
	14 to 16 ft.; 3\frac{3}{4} to 4 in	5 00	47 50	450 00
	14 to 16 ft.: 4 to 4½ in\$5 to	10 00	X1 90	<b>400 00</b>
		10.00		
	14 to 16 ft.; $4\frac{1}{4}$ to 8 in\$12.50 to 2	49 00		
	SPECIMEN NORWAYS. 14 to 20 feet in			
	height and of heavy caliper; clean, well			
	headed. Prices on application.			
	**			

Each	10	100
ACER platanoides, var. purpurea. Schwedler's Purple Maple. 8 to 10 ft.; 1\frac{1}{2} to 2 in\$2 50 10 to 12 ft - 24 to 23 in\$3 50	\$32 50	
Maple. 8 to 10 ft.; 1\(\frac{1}{2}\) to 2 in. \$2 50 10 to 12 ft.; 2\(\frac{1}{2}\) to 2\(\frac{3}{4}\) in. \$3 50 12 to 14 ft.; 2\(\frac{1}{4}\) to 3 in. 400 14 to 16 ft.; 3\(\frac{1}{2}\) to 4 in. \$5 to 7 50 16 to 20 ft.; 5 to 10 in. \$20 to 75 00 Broad-headed specimen trees.	*37 50	
Purple Maple 8 to 10 ft 2 00	17 50	
platanoides, var. Reitenbachi. Reitenbach's  Purple Maple. 8 to 10 ft 2 00  10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 00  pseudo-platanus. European Sycamore Maple—	$\frac{17}{27} \frac{50}{50}$	
6 tö 8 ft 75	$\frac{6}{6} \frac{00}{00}$	
10 to 12 ft.: 2 to 2½ in 2 00	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$22 \begin{array}{c} 50 \\ \end{array}$	
14 to 16 ft. Specimens\$5 to 25.00		
more Maple 10 to 12 ft 2 00	17 50	
more Maple. 10 to 12 ft 2 00  12 to 14 ft.; 2½ in 2 50  12 to 14 ft.; 3 to 5 in \$3.50 to 15 00	$\frac{11}{22} \frac{50}{50}$	
ruhrum Red or Scarlet Maple 6 to 7 ft 1 00	8 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
saccharinum. Sugar Maple. 8 to 10 ft 1 50	10 00	
saccharinum.         Sugar Maple.         8 to 10 ft	15 00	125 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{cccc} 150 & 00 \\ 200 & 00 \end{array}$
$12 \text{ to } 14 \text{ ft.}; 2 \text{ to } 2\frac{\pi}{4} \text{ in.}$ $2 \text{ 50}$	$\frac{52}{32} \frac{30}{00}$	275 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00	
14 to 16 ft.; 3 to 3\frac{1}{4} in		
Specimen low-branched trees of heavy		
caliper and good tops. Prices on appli-		
cation.  spicatum. Mountain Maple. 2 to 3 ft 50	4 00	30 00
3 to 4 ft	6 00	40 00
4 to 5 ft 1 00	8 50	60 00
5 to 6 ft	10 00	75 00
2 ft	3 50	
2 ft	6 50	35 00
4 to 5 ft. Bushy   <b>FINE</b>   1 00	$\begin{array}{c} 0.50 \\ 9.00 \\ 10.00 \end{array}$	$\frac{50}{60} \frac{00}{00}$
Most brilliant of the fall-coloring	10 00	00 00
trees. Superb for mass planting.		
JAPANESE MAPLES Each	10	100
ACER polymorphum. 3 to 4 ft	\$13 50	100
ACER polymorphum. 3 to 4 ft	,	
leaved Japan Maple. $1\frac{1}{2}$ ft $150$	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$	
2½ ft	$\frac{22}{30} \frac{50}{00}$	
2 ft. $2^{\frac{1}{2}}$ ft. $2^{\frac{1}{2}}$ 50 $2^{\frac{1}{2}}$ ft. Specimens, bushy and vel $2^{\frac{1}{2}}$ 60 $2^{\frac{1}{2}}$		
furnished		

I MIOD DIOI TON DI MING DI 10		
Each	10	100
ACER polymorphum, var. atropurpureum dissectum. Weeping Cut-leaf Blood-leaved—		
	\$22.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	) 422 00	
Maple. 1½ ft	13 50	
polymorphum, var. dissectum. Cut-leaf Weep-		
$\frac{1}{2}$ ing Japan Maple. $\frac{1}{2}$ ft	22 50	
2 t0 2½ ft	3	
polymorphum, var. scopendifolium rubrum.	,	
$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50	)	
#SCULUS Hippocastanum. European Horse-chestnut-		
7 to 8 ft	17 50	
7 to 8 ft.; 2 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
8 to 10 ft.; $2\frac{1}{2}$ in 3 50 10 to 12 ft.; 3 to $3\frac{1}{2}$ in	$\frac{0}{2}$ 32 50	
10 to 12 it.; 3 to 3½ in\$5 to 10 00		
Hippocastanum, var. alba flore pleno—	,	
Double White-Flowered Horse-		
Chestnut. 8 to 9 ft.; 2 in 2 50 9 to 10 ft.; 2½ in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
9 to 10 ft.; $2\frac{1}{2}$ in 3 50	$0 - 32 \ 50$	
10 to 11 ft.; 3 in	)	
11 to 12 it.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in\$7.50 to 10 00	)	
Hippocastanum, var. Bujotii—	,	
10 to 12 ft.; $2\frac{1}{2}$ to 3 in $+$ \$3.50 to 5 00	)	
10 to 12 ft.; $3$ to $3\frac{1}{2}$ in	Ď	
Hippocastanum, var. rubicunda. Red-		
flowered Horse-Chestnut—	00 50	
8 to 10 ft.; 2 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
10 ft · $24$ to $24$ in 4 00	$\frac{32}{37} \frac{50}{50}$	
12 ft.: $3$ to $4$ in	5	
parviflora. See Shrubs.		
AlLANTHUS glandulosa. Ailanthus, or Tree of Heaven. 8 to 10 ft 1 28		
Heaven. 8 to 10 ft 1 2	5 10 00	
10 to 12 ft	0 12 50	\$100 00
ALNUS glutinosa. European, or Black Alder-		
7 to 8 ft 1 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00
10 to 12 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100 00
AMELANCHIER Botryapium. Dwarf Juneberry. See	5 12 50	100 00
Shrubs.		
ANDROMEDA. See Oxydendron.		
ARALIA. Chinese Angelica Tree—		
elata, var. foliis argentea marginata.		
6 to 8 ft	9 00	
8 to 10 ft	$\frac{13}{6}$ $\frac{50}{600}$	
Japonica.     4 to 5 ft.     73       6 to 8 ft.     1 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
8 to 10 ft 1 50	12 50	
pentaphylla; syn., Acanthopanax spinosa.		
See Shrubs.		
spinosa. 5 to 6 ft	5  6  00	
9 to 10 ft	)	

ALLEGAMME PROBLEMS		
PETULA alba European White Weening Direk	10	100
8 to 10 ft\$1 25		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
12 to 14 ft.; 2 to 2½ m		
alba, var. fastigiata. Pyramidal White		
Birch. 10 to 12 ft 2 50		
12 to 14 ft		
<b>alba</b> , var. <b>laciniata pendula</b> Weeping Cutleaved White Birch, 6 to 7 ft. 1 50		
lenta. Sweet Birch. 6 to 7 ft 1 00	8 50	
lutea. Yellow Birch. 6 to 8 ft 1 00	8 50	
8 to 10 ft.; specimens	13 50	
papyrifera. Paper, or Canoe Birch—		
5 to 6 ft		
nigra; syn., rubra. Red Birch. 7 to 8 ft 1 00	8 50	\$60 00
8 to 10 ft	13 50	115 00
10 to 12 ft 2 00	17 50	
BROUSSONETIA papyrifera. Paper Mulberry-	10.50	
6 to 8 ft	12 50	
CARPINUS Americana; syn., Caroliniana. American Hornbeam, 3 to 4 ft 75	5 00	30 00
4 to 5 ft. Bushy 1 00	$7 \ 50$	50 00
5 to 6 ft. Bushy	10 00	75 00
6 to 7 ft. Bushy 2 00 7 to 9 ft. Bushy 2 50	$\begin{array}{ccc} 13 & 50 \\ 20 & 00 \end{array}$	$\begin{array}{c} 85 & 00 \\ 150 & 00 \end{array}$
9 to 10 ft. Bushy	$\frac{20}{27} \frac{50}{50}$	190 00
Betulus. European Hornbeam. 2 to 3 ft 35	3 00	22 50
3 to 4 ft. Bushy 50	4 00	30 00
4 to 5 ft. Bushy	$\begin{array}{ccc} 6 & 00 \\ 13 & 50 \end{array}$	$\frac{40}{75} \frac{00}{00}$
6 to 7 ft. Bushy	$\frac{13}{18} \frac{50}{50}$	100 00
8 to 10 ft. Bushy 3 50	30 00	
Carya alba. (Hickory). 8 to 10 ft 1 50	12 50	
CASTANEA Americana. American Chestnut—		
7 to 8 ft	$\begin{array}{ccc} 7 & 50 \\ 9 & 00 \end{array}$	50 00
8 to 9 ft	10 00	$\frac{60}{75} \frac{00}{00}$
9 to 10 ft.; $1\frac{1}{2}$ to 2 in. 1 50 10 to 12 ft.; $2$ to $2\frac{1}{2}$ in. 1 75 12 to 14 ft.; 3 in. 2 00	$12 \ 50$	100 00
12 to 14 ft.; 3 in 2 00	17 50	150 00
Japonica. Japan Chestnut. 4 to 5 ft 1 00	7 50	
vesca. Spanish Chestnut. 4 to 5 ft 1 00	7 50	
CATALPA bignonioides. 12 to 14 ft 2 50	22 50	
bignonioides, var. aurea. Golden Catalpa—		
4 to 5 ft 1 00	7 50	
Bungei. Bunge's Catalpa. Standards. 7 ft. 3 50	12 50	
Kæmpferi. Japanese Čatalpa. 6 to 8 ft 1 50 speciosa. Western Catalpa. 6 to 8 ft 1 00	$\frac{12}{7} \frac{50}{50}$	
8 to 10 ft.; $1\frac{1}{2}$ to 2 in 1 50	13 50	
CEDRELA Sinensis. Chinese Cedrela-		
8 to 10 ft		

#### PRICE LIST FOR SPRING OF 1910

	4.0	100
CELTIS occidentalis.         Nettle Tree.         6 to 7 ft\$1         25           7 to 8 ft	$\begin{array}{c} 10 \\ \$10 \ 00 \\ 12 \ 50 \end{array}$	$\begin{array}{c} 100 \\ \$75 00 \\ 90 00 \end{array}$
8 to 10 ft	$\frac{12}{17} \frac{50}{50}$	50 00
CERASUS Padus, European Bird Cherry, 4 to 5 ft. 75	6 00	
serotina. Wild Black Cherry. 10 to 12 ft. 1 50	12 50	
Avium, var. alba plena. Double White-	10 50	
flowering Cherry. 5 to 6 ft 1 50  Avium, var. rosea plena. Double Pink-	13 50	
flowering Cherry. 4 to 6 ft 1 50		
flowering Cherry. 4 to 6 ft 1 50  Avium, var. rosea pendula. Pink Weeping		
Japan Cherry. 6 ft		
Sieboldi, var. rubra plena. 4 to 5 ft 1 50	12 50	
CERCIS Canadensis. Red Bud, American Judas-	4 00	00.00
3 to 4 ft	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{ccc} 30 & 00 \\ 45 & 00 \end{array}$
5 to 6 ft	$\frac{0}{7} \frac{00}{50}$	50 00
6 to 8 ft	10 00	60 00
8 to 10 ft 1 75	12 50	85 00
Japonica. See Shrubs.		
CERCIDIPHYLLUM Japonicum. 5 to 6 ft 1 50	12 50	
7 to 8 ft 2 00 8 to 9 ft 2 50	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	
CLADRASTIS tinctoria (Virgilia lutea). Yellow	22 50	
Wood. 8 to 10 ft 1 50	13 50	100 00
10 to 12 ft 2 00	17 50	150 00
CORNUS. See, also, Shrubs.		
florida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50	4 00	
$3\frac{1}{2}$ to 4 ft.; very fine 1 00	7 50	00.00
4 to 5 ft.; very fine	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	$\frac{60\ 00}{70\ 00}$
6 to 7 ft.; very fine	$\frac{12}{15} \frac{90}{00}$	80 00
7 to 8 ft.; very fine	22 50	100 00
8 to 10 ft.; very fine	27 50	
Very low-branched, heavy stock.  florida, var. flore rubro. Red-flowered		
Dogwood, 3 to 3⅓ ft. Bushy, ♦., 1 75	15 00	
$3\frac{1}{2}$ to 4 ft. Bushy	18 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50	
florida, var. pendula. Weeping Dogwood—		
5 to 6 ft. Rare		
6 to 7 ft. Rare		
7 to 10 ft. Rare		
One of the most beautiful of		
weeping trees, combining spring flowers, summer berries and bril-		
liant autumn foliage.		
CRATÆGUS Carrieri. 2½ to 3 ft		
3 to 4 ft 1 00	7 50	
4 to 5 ft	10 00	
coccinea. 5 to 6 ft	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	
6 to 7 ft	12 00	
4 to 5 ft 1 00	8 50	
6 to 8 ft.; very heavy		
8 to 10 ft.; very heavy 3 50		

Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn—	0.7 50	0=0 00
5 to 6 ft\$1 00 6 to 8 ft 1 25	$\begin{array}{c} \$7 & 50 \\ 10 & 00 \end{array}$	$\begin{array}{r} \$50 \ 00 \\ \hline 75 \ 00 \end{array}$
8 to 10 ft	13 50	10 00
8 to 10 ft	7 50	60 00
Uxyacantha. English Hawthorn—		
3 to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 to 6 ft		
Oxyacantha, var. alba flore pleno. Dou-		
ble White Hawthorn. 4 to 6 ft. 1 00	9 00	
Oxyacantha, var. coccinea flore pleno. Paul's Double Scarlet—		
4 to 6 ft 1 00	9 00	
10 to 12 ft. Standards ★ 5 00	45 00	
Oxyacantha, var. rosea flore pleno.		
Double Pink Hawthorn— 4 to 5 ft 1 00	9 00	
punctata. 3½ to 4 ft		35 00
CYTISUS Laburnum. Golden Chain. 3 to 4 ft 50	4 00	
4 to 5 ft	6 00	
5 to 6 ft	13 50	
FAGUS ferruginea. American Beech. 3 to 4 ft 1 50	13 50	
5 to 6 ft 2 50	22 50	
FAGUS ferruginea. American Beech. 3 to 4 ft 1 50 5 to 6 ft	6 00	
4 to 5 ft	7 50	
5 to 6 ft	15 00	
6 to 7 ft. 3 50 7 to 8 ft	32 50	
8 to 10 ft. Specimens \$5.50 to 5 00		
evivation war asplanifolia Farn-like Reach		
3 to 4 ft	•	
sylvatica, var. pendula. Weeping Beech—		
8 to 10 ft \$5 to 7 50		
14 to 16 ft.: 2 to 3\frac{1}{2} in. Speci-		
mens		
All recently transplanted. sylvatica, var. purpurea. Purple Beech—		
4 to 5 ft 1 50	12 50	
5 to 6 ft 9 50	99.50	
6 to 7 ft. 3 50 7 to 8 ft. 5 00	32 50	
9 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
11 to 12 ft 7 50	70.00	
12 to 14 ft. Specimens\$10 to 35 00		
8 to 16 ft. Sheared specimens,\$10 to 35 00		
sylvatica, var. purpurea major. Large Leaf— 5 to 6 ft 2 50	22 50	
7 to 8 ft	$\frac{1}{47} \frac{1}{50}$	
9 to 10 ft 6 00 sylvatica, var. Riversi. Rivers' Blood-leaved		
sylvatica, var. Riversi. Rivers' Blood-leaved		
Beech. 6 to 7 ft		
8 to 9 ft		



An Avenue of Sweet Gums (Liquidambar), at Andorra.

FRAXINUS Americana. White Ash. 6 to 8 ft\$1 00 8 to 10 ft	$\begin{array}{c} 10 \\ \$7 50 \\ 10 00 \end{array}$	100
$\begin{array}{c} 30 & 10 & 11 & 11 & 12 & 11 & 12 & 12 & 1$	$   \begin{array}{cccc}     12 & 50 \\     22 & 50 \\     27 & 50   \end{array} $	\$100 00
excelsior. European Ash—		
6 to 8 ft 1 00		
8 to 10 ft		
8 to 10 ft	$\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$	
GLEDITSCHIA aquatica. Water Locust. 8 to 10 ft 1 50	10 00	85 00
10 to 12 ft 2 50	$\frac{20}{5} \frac{00}{50}$	150 00
triacanthos. Honey Locust. 7 to 8 ft 1 25	7 50	60 00
GLYPTOSTROBUS. See Taxodium.		
GYMNOCLADUS Canadensis. Kentucky Coffee Tree—		
8 to 10 ft 2 50	$20 \ 00$	
JUGLANS nigra. Black Walnut. 7 to 8 ft 1 00	8 50	75 00
8 to 10 ft 1 50	12 50	100 00
KŒLREUTERIA paniculata. Varnish Tree-		
5 to 6 ft	12 50	
<b>LARIX Europæa.</b> European Larch. 5 to 6 ft 1 00 6 to 8 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	05 00
8 to 10 ft 1 50	13 50	85 00
leptolepis. Japanese Larch. 6 to 8 ft 1 25   10 to 12 ft 2 00	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$	

20	ANDORRA NORSERIES		
LIQUIDAMBA LIRIODENDR	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$12 50 \$12 50 22 50 32 50 45 00 10 00 16 50	100 \$85 00
MAGNOLIA.	tiful pyramidal form of the well-known Tulip tree.  8 to 10 ft 2 00 10 to 12 ft 2 50 12 to 14 ft		
	acuminata. Cucumber Tree. 4 to 5 ft 1 00	7 50	
	glauca. Sweet or Swamp Magnolia—	13 50	
	2 to $2\frac{1}{2}$ ft 1 50 grandiflora. Evergreen Magnolia— 2 to $2\frac{1}{2}$ ft 2 50 macrophylla. Great-leaved Magnolia—	15 50	
	4 to 5 ft	0.00	
	tripetala. Umbrella Tree. 6 to 8 ft. 1 25 8 to 10 ft	$\begin{array}{c} 9 & 00 \\ 12 & 50 \end{array}$	
	10 to 12 ft 2 00	$\frac{15}{18} \frac{30}{50}$	
	12 to 14 ft 2 50	$\frac{1}{22} \frac{1}{50}$	
	Chinese Sorts— Alexandriana. 5 to 6 ft → \$3.50 to 5 00 6 to 7 ft → 7 50		
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 32 50 45 00	
	3 to 3½ ft		
	Norbertiana Hýbrid. Norbert's Magnolia— 6 to 7 ft 5 00  purpurea; syn., okovata. Purple Magnolia— 3 to 3½ ft 2 50 4 to 5 ft 3 50	$\frac{22}{30} \frac{50}{00}$	
	Soulangeana Hybrid. Soulange's Magnolia—           3 to 4 ft.         + 2 50           4 to 5 ft         + 3 50           5 to 6 ft.         + \$5 to 7 50           Larger specimens. Prices on application.		
	speciosa.       4½ to 5 ft.       +. \$3.50 to 5 00         stellata; syn., Halleana.       Hall's Japanese         Magnolia.       2 ft.       2 50         2½ ft.       3 50         3 to 4 ft.       Specimens.       +. \$3 50 to 10 00         superha alba.       4 to 5 ft.       +. \$3.50 to 5 00         7 to 8 ft.       \$7.50 to 10 00	22 50 32 50	
	1 10 0 10, 11,11,11,11,11,100 10 10 00		



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

MORUS alba. White Mulberry. 8 to 10 ft	10 \$6 00
NYASSA sylvatica. Sour Gum. 3 to 4 ft	
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel	
Tree.       2 to 3 ft.       1 00         3 to 4 ft.       1 50         4 to 5 ft.       2 00         5 to 6 ft.       2 50         6 to 7 ft.       3 00         7 to 8 ft.       3 50	9 00 13 50 18 50 22 50 27 50
PARROTIA Persica.         Persian Iron Tree.         5 to 6 ft.         2 50           10 to 12 ft.         3 50	
PAULOWNIA imperalis. 10 to 12 ft	
PERSICA vulgaris, var. alba plena. Double White-flowering Peach. 4 to 5 ft	7 50
vulgaris, var. sanguinea plena. Double Red-flowering Peach. 4 to 5 ft	7 50
8 to 10 ft.         1 50           10 to 12 ft.         2 00	

	ach	10	100
PLATANUS occidentalis. American Buttonwood—		#0 <b>F</b> 0	
8 to 10 ft\$	50	$\begin{array}{r} \$850 \\ 1250 \end{array}$	<b>\$1</b> 00 00
10 to 12 ft.; 1\(\frac{1}{2}\) to 2 in.  14 to 16 ft.; 2\(\frac{1}{2}\) to 3 in.  14 to 16 ft.; 3 to 3\(\frac{1}{2}\) in.	3 00	$\frac{12}{27} \frac{50}{50}$	\$100.00
14 to 16 ft.; 3 to 3\frac{1}{2} in	§ 50	$\frac{1}{32} \frac{1}{50}$	
orientalis. Oriental Plane, or European			
Buttonwood, 6 to 8 ft	00	$\frac{7}{50}$	50 00
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in	25	$\begin{array}{r} 11 & 50 \\ 12 & 50 \end{array}$	$\begin{array}{c} 85 & 00 \\ 115 & 00 \end{array}$
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\frac{30}{75}$	$\frac{12}{16} \frac{30}{00}$	150 00
$\overline{12}$ to $\overline{14}$ ft.; $\overline{2}_{\overline{2}}^{\overline{1}}$ to $\overline{3}$ in	3 5ŏ	$\frac{1}{32} \frac{1}{50}$	200 00
12 to 14 ft.; $1\frac{2}{4}$ to $2$ in. 12 to 14 ft.; $2\frac{1}{2}$ to 3 in	00		
POPULUS alba, yar. Bolleana. Bolle's Poplar—			
$\begin{array}{c} 8 \text{ to } 10 \text{ ft.} \\ 12 \text{ to } 14 \text{ ft.} \\ 16 \text{ to } 18 \text{ ft.} ; 3 \text{ to } 3\frac{1}{2} \text{ in.} \\ \end{array}$	L 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
16 to 18 ft · 3 to 34 in	2. 50 2. 50	. 20 00	
monilifera: syn Carolinensis. Carolina	, 50		
monilifera; syn., Carolinensis. Carolina Poplar. 8 to 10 ft.	L. 00	7 50	
10 to 12 ft.; $1\frac{1}{2}$ to 2 in	L 50	.10 00	
nigra, var. fastigiata. Lombardy Poplar—	0.5	10 00	
8 to 10 ft	L 25 L 50	$\frac{10}{13} \frac{10}{50}$	125 00
12 to 14 ft.; $2^2$ to $2\frac{1}{4}$ in. 14 to 16 ft.; $2\frac{1}{2}$ in.	2 00	18 50	
14 to 16 ft.; $2\frac{1}{2}$ in	2.50		
Transplanted several times.			
PRUNUS. See Cerasus.			
PTELEA trifoliata. Hop Tree. 4 to 6 ft	35	$\frac{3}{4} \frac{00}{50}$	20.00
6 to 7 ft. 7 to 9 ft.	$-50 \\ -75$	$\frac{4}{5} \frac{50}{00}$	30 00
trifoliata, var. aurea, Golden Hop Tree—	• • •	6, 00	
<b>1</b> 4 to 5 ft	35	3 00	
5 to 6 ft	50	4 50	
PTEROSTYRAX hispidum (Halesia hispida).	-0	7.0 50	
8 to 10 ft. 10 to 12 ft.	$\begin{array}{c} 1.50 \\ 2.50 \end{array}$	$\frac{12}{20} \frac{50}{00}$	
PYRUS. See, also, Shrubs.	2 00	20 00	
atrosanguinea. 6 to 7 ft	L 50	12 50	
baccata. Siberian Flowering Crab Apple—			
4 to 5 ft	75	6 00	
5 to 6 ft	75	$\begin{array}{c} 8 & 50 \\ 6 & 00 \end{array}$	
coronaria. Sweet-scented Crab. 4 to 5 ft floribunda. Flowering Crab. 4 to 5 ft		7 50	
lænsis, var. Bechtel. Bechtel's Double-	. 00	1 50	
flowering Crab. 3 to 4 ft	50	12 50	
Parkmani; syn., Halliana. Parkman's Crab-			
4 to 5 ftspectabilis. Chinese Double-flowering Crab	L 00	7 50	
3 to 4 ft		7 50	
spectabilis, var. alba flore pleno. Double		. 00	
Rose-flowering Crab. 3 to 4 ft	00	7 50	
QUERCUS alba. White oak. 5 to 6 ft			
6 to 7 ft		10.00	
7 to 8 ft	1 75 2 50	$\begin{array}{c} 16 & 00 \\ 22 & 50 \end{array}$	
10 to 12 ft	3 50	$\frac{12}{32} \frac{50}{50}$	

Each	10	100
<b>QUERCUS bicolor.</b> Swamp White Oak. 6 to 7 ft\$1 25 7 to 8 ft	$\begin{array}{ccc} \$10 & 00 \\ 12 & 50 \end{array}$	200
8 to 9 ft. Heavy 2 50	22 50	\$200 00
10 to 12 ft. Specimens\$3.50 to 5 00 coccinea. Scarlet Oak. 6 to 7 ft 1 25	10 00	
	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$\begin{array}{cccc} 125 & 00 \\ 160 & 00 \end{array}$
9 to 10 ft.; $\frac{1}{2}$ to $\frac{1}{2}$ in $\frac{2}{50}$	$\frac{11}{22} \frac{50}{50}$	200 00
8 to 9 ft.; 1\frac{1}{2} to 2 in		
8 to 10 ft		1
10 to 12 ft.; 2 to 2½ in 5 00 macrocarpa. Mossy Cup Oak—		
8 to 9 ft.: $1\frac{1}{2}$ to $1\frac{3}{2}$ in		
10 to 12 ft	22 50	
palustris. Pin Oak—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 8 & 50 \\ 10 & 00 \end{array}$	85 00
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. Low-branched 1 50	13 50	125 00
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. Low-branched 1 50 9 to 10 ft.; $1\frac{3}{4}$ to 2 in. Low-branched 2 00 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. Low-branched 2 50	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$-150 00 \\ 185 00$
2 10 to 12 it.; 2\frac{1}{4} to 5 in	30 00	$\frac{185}{275} \frac{00}{00}$
Extra heavy specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in.		;
cal., well-rooted and good tops, \$7.50 to 15 00		
Phellos. Willow Oak. 6 to 7 ft 2.50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Prinus. Rock Chestnut Oak. 7 to 8 ft 1 25	10 00	
8 to 10 ft 1 50	$\begin{array}{ccc} 13 & 50 \\ 18 & 50 \end{array}$	150 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in 2 00 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50	$\frac{13}{22}  \frac{50}{50}$	175 00
Excellent for street planting.	8 50	
Robur,         English Oak.         6 to 8 ft.         1 00           8 to 10 ft.         1 50	$12 \ 50$	
10 to 12 ft.; 2 to 2½ in	$\begin{array}{cccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 90	200 00
Robur, var. fastigiata. Pyramidal English Oak. 7 to 8 ft 2 50		
2 to 10 ft	32 50	
rubra. Red Oak. 7 to 8 ft	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$100 00 \\ 150 00$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{11}{27} \frac{50}{50}$	190 00
12 to 14 ft. Specimens\$3.50 to 10 00		
velutina, var. tinctoria. Black Oak— 6 to 8 ft	10 00	
8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 75	15 00	125 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 18 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Specimens, $3$ to $3\frac{1}{2}$ in	27 50	95 00
RHUS glabra. Smooth Sumac. 4 to 5 ft	$\frac{4}{6} \frac{00}{00}$	$\frac{35}{50} \frac{00}{00}$
5 to 6 ft	8 50	75 00
glabra, var. laciniata. Cut-leaved Sumac— 1½ to 2 ft	5 00	40 00
$\frac{1}{3}$ to $3\frac{1}{2}$ ft	3 00	10 00

Each	10	100
RHUS Osbecki. 3 to 4 ft	\$8 50	
6 to 7 ft	3 00	\$15 00
5 to 6 ft 50	4 00	30 00
6 to 8 ft	$\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$	50 00
<b>ROBINIA pseudacacia.</b> 12 to 14 ft	32 50	
pseudacacia, var. foliis aureis. Golden-	92 90	
leaved Locust. 6 to 8 ft 1 00		
8 to 10 ft 1 50		
SALISBURIA adiantifolia. Ginkgo, or Maidenhair Tree. 6 to 7 ft 1 00	8 50	
7 to 8 ft	10 00	
8 to 9 ft 1 50	13 50	125 00
9 to 10 ft 2 00 10 to 12 ft 2 50	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	150 00
SALIX alba. White Willow. 6 to 8 ft	5 00	200 00 $35 00$
8 to 10 ft	12 50	99 00
Babylonica. Weeping Willow. 6 to 8 ft 75	6 00	
8 to 10 ft	8 50	
Babylonica, var. dolorosa. Wisconsin Weeping Willow. 8 to 10 ft 1 00	8 50	
caprea. Pussy Willow. 3 to 4 ft 50	4 00	35 00
5 to 6 ft 1 00	8 50	90.00
incana. Rosemary Willow. 2 ft 50 lutea. Golden Willow. 8 to 10 ft 1 50	$\begin{array}{c} 3 & 00 \\ 12 & 50 \end{array}$	20 00
10 to 12 ft 2 00	17 50	
lutea, var. pendula. Golden Weeping Willow—		
8 to 10 ft		
12 to 14 ft\$3.50 to 5 00 pentandra. Laurel Leaf Willow. 5 to 6 ft. 1 00		
pentandra. Laurel Leaf Willow. 5 to 6 ft 1 00	7 50	
6 to 8 ft	$\frac{10}{3} \frac{00}{00}$	
vitellina, var. Britzensis. Salmon-barked Wil-		
low. 10 to 12 ft 2 00	17 50	
SOPHORA Japonica. Japanese Sophora—	8 50	
3 to 3½ ft	0.00	
7 to 8 ft. Specimens+\$3.50 to 5 00		
SORBUS Americana. American Mountain Ash-		
7 to 8 ft		
7 to 8 ft		
aucuparia, var. fruticosa lutea. Yellow-		
fruited. 7 to 8 ft 1 50 aucuparia, var. quercifolia. Oak-leaved		
Mountain Ash. 6 to 7 ft 1 50		
TAXODIUM distichum. Deciduous Cypress—		
4 to 5 ft	12 50	
TILIA Americana. American Linden, or Basswood—	17 50	
8 to 10 ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	
10 to 12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50	50	
10 to 12 ft.; 2 to $2\frac{1}{3}$ in		
12 to 14 II.; 3 to 4 ln		

PRICE LIST FOR SPRING OF 1910	33
Each	10
TILIA argentea; syn., tomentosa. Silver-leaved Linden-	010 50
6 to 8 ft\$1 50	\$12 50 18 50
10 to 12 ft.: $2\frac{1}{3}$ to $2\frac{1}{3}$ in	32 50
vulgaris; syn., Europæa. European Linden-	0_ 00
8 to 10 ft.; $1\frac{1}{2}$ to 2 in	12 50
10 to 12 ft.; 2 to 2½ in	
8 to 10 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 200  10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 350  vulgaris; syn., Europeaa. European Linden—  8 to 10 ft.; 1\frac{1}{2} to 2\frac{1}{2} in. 150  10 to 12 ft.; 2 to 2\frac{1}{2} in. 250  12 to 14 ft.; 3 to 4 in. \$3.50 to 7 50  vulgaris, var. pyramidalis laciniata. Pyramidal Cut-  leaf 10 to 12 ft. 2 to 200	
leaf. 10 to 12 ft	15 00
leaf. 10 to 12 ft 2 00 ULMUS Americana. American Elm—	= -0
8 to 10 ft	$\begin{array}{ccc} 7 & 50 \\ 13 & 50 \end{array}$
10 to 12 it	$\frac{15}{20} \frac{50}{00}$
12 to 14 ft.: 21 to 21 in	$\frac{25}{25} \frac{00}{00}$
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	27 50
10 to 12 ft	19 50
Campestris. English Elm. 8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 25 & 00 \end{array}$
12 to 14 ft.: $2\frac{3}{2}$ to $3$ in	$\frac{25}{32} \frac{50}{50}$
Specimens	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
English Elm. 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 2 00	
12 to 14 ft.: 2½ to 3 in	32 50
16 to 18 ft.; 3 to 4 in\$5 to 7 50	
campestris, var. Wheatley's (Cornish) Elm—	00 50
10 to 12 ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
scahra: svn montana Scotch or Wych Elm-	32 30
10 to 12 ft. 2 50 12 to 14 ft. 3 50  scabra; syn., montana. Scotch, or Wych Elm—  8 to 10 ft.; 1½ to 2 in. 1 50  scabra, var. Huntingdoni. Huntingdon Elm—  12 to 14 ft.; 2½ to 2½ in. 2 50 14 to 16 ft.; 3 to 3¼ in. \$3.50 to 7 50  scabra, var. pendula. Camperdown Elm—  6 ft. 50	13 50
scabra, var. Huntingdoni. Huntingdon Elm-	00 50
12 to 14 ft.; 2½ to 2¼ in	22 50
scahra ver nendula Camperdown Elm-	
6 ft. 1 50 scabra, var. purpurea. Purple Wych Elm—	
scabra, var. purpurea. Purple Wych Elm-	10 50
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$
8 to 10 ft	$\frac{11}{22} \frac{50}{50}$
12 (0 11 10), 0 00 03 110 (1100 1100 1100 1100 1100 1	
DECIDUOUS SHRUBS	
DECIDOOD DIROBS	
Each 10	100
ABELIA rupestris. 1 to 1½ ft	\$25 00 30 00
1½ to 2 ft	50 00
ACANTHOPANAX spinosa (Aralia pentaphylla)—	
3 to 4 ft	20 00
4 to 6 ft. Heavy 50 4 00  ÆSCULUS parviflora; syn., Pavia macrostachya—	30 00
1½ ft	75 00
2 ft	100 00
ALTHEA. See Hibiscus.  AMELANCHIER Botryapium, 2½ to 3 ft	25 00
AMELANCHIER Botryapium. 2½ to 3 ft	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
0 10 1 10 11 11 11 11 11 11 11 11 11 11	00 00



Partial View of Nursery Grounds from Top of Main Nursery.

AMORPHA canescens. 2 ft	$\begin{array}{c} 10\\ \$250\\ 300\\ 200\\ 300 \end{array}$	$\begin{array}{c} 100 \\ \$15 & 00 \\ 25 & 00 \\ \end{array}$
AMYGDALUS (Almond). See Prunus. 50	4 00	25 00
NATIVE AZALEAS.—Andorra Grown		
Clean, bushy, transplanted stock.		
AZALEA arborescens. Fragrant White Azalea— Each	10	100
12 to 15 in. Bushy\$1 00	\$9 00	
15 to 18 in. Bushy 1 50	13 50	\$125 00
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	150 00
$2^{\circ}$ to $2^{\circ}_{2}$ ft. Bushy	22 50	200 00
$2\frac{1}{2}$ to 3 ft. Bushy	30 00	
calendulacea. Flame Azalea. 12 to 15 in. 1 00	9 00	10= 00
15 to 18 in. Bushy 1 50	13 50	125 00
18 to 24 in. Bushy 1 75	15 00	135 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. Bushy } \dots 250$	$\begin{array}{ccc} 22 & 50 \\ 8 & 50 \end{array}$	75 00
	18 50	150 00
12 00 2 100 100 100 100 100 100 100 100	9 00	100 00
nudiflora. 12 to 15 in	13 50	
$1\frac{1}{2}$ to $2$ ft. Bushy	15 00	
$2$ to $2\frac{1}{2}$ ft. Bushy	10 00	
Vaseyi. Southern Azalea. 12 to 15 in 1 00	9 00	
15 to 18 in	13 50	
1½ to 2 ft. Bushy 2 00	18 50	150 00
$2$ to $2\frac{1}{2}$ ft. Bushy	22 50	
$2\frac{1}{2}$ to $3$ ft. Bushy	30 00	
viscosa. White Azalea—		
15 to 18 in. Bushy 1 50	13 50	
$\frac{1}{2}$ to $\frac{1}{2}$ ft. Bushy $\frac{2}{2}$ 00	18 50	
2 to 2½ ft. Bushy	22 50	

#### MOLLIS and GHENT AZALEAS

AZALEA mollis. 1½ ft	25 50	$\begin{array}{c} 10\\ \$10 \ 00\\ 13 \ 50 \end{array}$	$^{100}_{\$90\ 00}_{125\ 00}$
$2\frac{1}{2}$ ft. Bushy	00	17 50	
Pontica (Ghent). 1½ ft. Named sorts 1 2 ft. Bushy. Named sorts 1 2½ to 3 ft. Bushy 2 3 to 3½ ft. Bushy \$2.50 to 3 Heavy stock, lifting with good balls.	25 50 50 50	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \\ 22 & 50 \end{array}$	90 00 120 00
BACCHARIS halimifolia. Groundsel Shrub— 4 to 5 ft.; heavy Desirable for late bloom.	75		
BENZOIN odoriferum.       Spice Bush. $2$ to $2\frac{1}{2}$ ft $3$ to $3\frac{1}{2}$ ft $3\frac{1}{2}$ to $4$ ft         BERBERIS (Barberry)       Asiatica. $3$ to $3\frac{1}{2}$ ft	35 50 75 75	$\begin{array}{c} 3 & 00 \\ 4 & 00 \\ 6 & 00 \\ 6 & 00 \end{array}$	
ilicifolia. Holly-leaved. 15 to 18 in $1\frac{1}{2}$ to $2$ ft. $2$ to $2\frac{1}{2}$ ft Japonica (not Mahonia). $2$ to $2\frac{1}{2}$ ft	35 50 75 50	3 00 4 00 6 00 4 50	$\begin{array}{ccc} 27 & 50 \\ 35 & 00 \\ 40 & 00 \end{array}$
Sinensis. Chinese Barberry. 2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to $3$ ft.; very heavy 3 to $3\frac{1}{2}$ ft.	75 35 50 75	5 00	40.50
Thunbergii. 12 to 15 in.  15 to 18 in. $1\frac{1}{2}$ ft.; broad and very heavy $1\frac{1}{2}$ to 2 ft.; broad and very heavy $2\frac{1}{2}$ ft.; broad and very heavy  3 to $3\frac{1}{2}$ ft.; broad and very heavy 1	25 35 50 60 75 00	1 75 2 50 3 50 4 50 6 00	12 50 15 00 20 00 25 00
vulgaris.       Common Barberry— $1\frac{1}{2}$ to 2 ft.          2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to 3 ft.	35 50 60	3 00 3 50 5 00	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \\ 25 & 00 \end{array}$
vulgaris, var. purpurea.       2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to 3 ft.         3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft.	35 50 60 75	$\begin{array}{c} 3 & 00 \\ 3 & 50 \\ 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{c} 17 \ 50 \\ 25 \ 00 \\ 35 \ 00 \\ 50 \ 00 \end{array}$
CALLICARPA purpurea. Beauty Fruit. $2$ to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to $3$ ft. $3$ to $4$ ft. $3$	$\frac{35}{50}$	$\begin{array}{c} 3 & 00 \\ 4 & 50 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \\ 35 & 00 \end{array}$
CALYCANTHUS floridus. Allspice, or Sweet Shrub— 3 to 3½ ft. 4 to 5 ft.	50 75	$\begin{array}{cc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 35 & 00 \end{array}$
CARAGANA arborescens.       Siberian Pea— $2\frac{1}{2}$ to $3$ ft.       3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to $4$ ft.       3 to $4$ ft.	$\frac{25}{35}$ $\frac{50}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 25 & 00 \end{array}$
CARYOPTERIS Mastacanthus. Blue Spirea— 1½ ft	35	2 50	15 00

CEANOTHUS Americanus. Jersey Tea. $1\frac{1}{2}$ to $2$ ft. \$0 $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to $3$ ft	ach 25 35 50	$\begin{array}{c} 10 \\ \$2 \ 00 \\ 3 \ 00 \\ 4 \ 00 \end{array}$	100
2 to $2\frac{1}{2}$ ft	75		
CEPHALANTHUS occidentalis—			
$3\frac{1}{2}$ to 4 ft	35	3.00	\$25 00
4 to 5 ft	50	4 00	30 00
CERCIS. See, also, Deciduous Trees.		_ 00	00 00
Japonica. Japan Judas—			
3 to $3\frac{1}{2}$ ft.	75	6 00	
$\Sigma_{\text{exceptionally fine stock.}}$	19	0 00	
	0-	9 00	
CHIONANTHUS Virginica. White Fringe. 2 to $2\frac{1}{2}$ ft.	35	3 00	40.00
$\frac{2^{1}}{2}$ to 3 ft. Bushy	50	4 50	40 00
3 to 4 ft. Bushy	75	$\frac{7}{9} = \frac{00}{9}$	$\frac{50}{20} \frac{00}{00}$
	F 00	8.50	75 00
5 to 6 ft	L 50	$13 \ 50$	100 00
CLETHRA alnifolia. Sweet Pepperbush—	0-	0 =0	4 <b>=</b> = 0
$2$ to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to $3$ ft. Broad and bushy	35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
22 to 3 it. Broad and bushy	50		20 00
3 to $3\frac{1}{2}$ ft. Broad and bushy	60	4 00	$25 \ 00$
$4 \text{ to } 4\frac{1}{2} \text{ ft.}$ Bushy	75		
COLUTEA arborescens. Bladder Senna. 2 to 3 ft	35	2.50	
3 to $3\frac{1}{2}$ ft	50	4 00	$\frac{20}{20} \frac{00}{00}$
4 to 5 ft	75	6 00	$25 \ 00$
<b>COMPTONIA</b> asplenifolia. Sweet Fern. $1\frac{1}{2}$ to 2 ft.	35	3 00	$25 \ 00$
$2$ to $2\frac{1}{2}$ ft	50	4 00	30 00
CORCHORUS Japonicus. Single Globe Flower-			
2 to $2\frac{1}{2}$ ft	50	3 50	
Japonicus, var. variegata. (Variegated			
Leaves). 2 to $2\frac{1}{2}$ ft	50		
CORNUS. See, also, Trees.			
alba. Siberian Red-twigged Dogwood—			
$2$ to $2\frac{1}{2}$ ft	25	2 00	15 00
$2\frac{1}{2}$ to $3$ ft.; very heavy	$\frac{35}{2}$	3 00	20 00
3 to $3\frac{1}{2}$ ft.; very heavy	50	4 00	$\frac{25}{2}$ 00
3t to 4 ft.: very heavy	75	$\frac{6}{5} \frac{00}{50}$	30 00
5 to 6 ft.	00	7 50	
alba; syn., Siberica, var. aurea variegata—		4.00	
$\frac{1}{2}$ to $\frac{2}{4}$ ft	50 75	$\frac{4}{5} \frac{00}{00}$	
3 to 4 ft	10	5 00	
alba, var. elegantissima. Golden-leaved— 2 to 3 ft.	35	3 00	
3 to 4 ft	75	6 00	
alternifolia. 3 to 4 ft.	50	4 00	30 00
4 to 5 ft	75	$\frac{1}{5} 00$	40 00
5 to 6 ft		6.00	50 00
Mas. Cornelian Cherry. $1\frac{1}{2}$ to 2 ft	25	$\frac{2}{2} \frac{00}{00}$	15 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\overline{35}$	2 00 3 00 3 50	20 00
$2\frac{1}{3}$ to 3 ft	50	3 50	30 00
4½ to 5 ft · very heavy	75	6 00	
5 to 6 ft	L 00	7 50	
5 to 6 ft. 6 to 10 ft. Specimens. + . \$1.50 to	2 50		
paniculata. $2\frac{1}{2}$ to 3 ft	35	3 00	
$3$ to $3\frac{1}{2}$ ft	<b>5</b> 0	4 00	
4 to 5 ft	75	5 00	

	Each	10 '	100
CORNUS sanguinea. European Osier Dogwood— $2 \text{ to } 2\frac{1}{2} \text{ ft. Fine.}$	\$0. 95	\$2 00	<b>\$</b> 15 00
$3\frac{1}{2}$ to $4$ ft. Fine	35	3 00	25 00
4 to 5 ft. Fine		$\frac{4}{5} \frac{00}{00}$	$\begin{array}{cccc} 30 & 00 \\ 35 & 00 \end{array}$
sanguinea, var. elegantissima variegata—		0 00	99 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{50}{75}$		
sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft	35	3 00	20 00
$3\frac{1}{2}$ to 4 ft	50 75	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
6 to 7 ft		$\frac{0}{7} \frac{00}{50}$	50 00
stolonifera. Native Red Osier— $2\frac{1}{2}$ to 3 ft	35	3 00	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$		4 00	25 00
$3\frac{1}{2}$ to $4$ ft		$\begin{array}{ccc} . & 5 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	7 50	50 00
stolonitera, var. aurea. Golden-barked—		3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		3 50	$\frac{20}{25} \frac{00}{00}$
$3$ to $3\frac{1}{2}$ ft		5 00	35 00
CORYLUS Americana. American Hazel— 3½ to 4 ft	50	3 50	
Avellana, var. laciniata. Cut-leaved Haze	l		
6 to 8 ft	1,00	7 50	
$2$ to $2\frac{1}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	. 50	4 50	30 00
COTONEASTER frigida, var. bacillaris— $2$ to $2\frac{1}{2}$ ft	35		
$\overline{4}$ to $\overline{4}\frac{1}{2}$ ft	50	4 00	25 00
CRATÆGUS. See Trees.		0.00	
CYDONIA Japonica. Japan Quince. 2 to 2½ ft		3 00	20.00
CYTISUS scoparius. Scotch Broom. 4 to 5 ft  DESMODIUM penduliflorum. See Lespedeza Sieboldi		4 50	30 00
<b>DEUTZIA candidissima</b> (Double White). 3 to 3½ ft.		3 00 ·	
$3\frac{1}{2}$ to 4 ft	50	, 4 00	25 00
5 to $6$ ft	75 50	$\begin{array}{ccc} 5 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
crenata, var. Pride of Rochester—			00 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$	35 00
crenata. var. Waterer. 3 ft	35	3 00	
3½ to 4 ft. 4 to 5 ft.	$\frac{50}{60}$	$\frac{3.50}{4.00}$	$\begin{array}{cccc} 25 & 00 \\ 30 & 00 \end{array}$
5 to 6 ft	75	6 00	35 00
crenata, var. Wellsi. 3 to 4 ft	$\frac{50}{75}$	$\begin{array}{ccc} 3 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
gracilis. Dwarf Deutzia. 12 to 15 in	. 35	3 00	15 00
15 to 18 in.; very heavy	50	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
24 to 30 in	. 1 00	7 50	40 00
gracilis, var. carminea. 15 to 18 in	50	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
18 to 24 in		7 50	40 00

DEUTZIA gracilia war recen 11 to 9 ft		100
<b>DEUTZIA</b> gracilis, var. rosea. $1\frac{1}{2}$ to 2 ft\$0 50	\$4 00	\$25 00
$2 \text{ to } 2_{\overline{2}} \text{ it, } \dots$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{30}{35} \frac{00}{00}$
Lemoinei. 2 to 2½ ft · very heavy 3	3 00	20 00
3 to $3\frac{1}{2}$ ft.: heavy	$4 \overset{\circ}{00}$	30 00
4 to 5 ft.; heavy	$\hat{6}$ $\hat{0}\hat{0}$	35 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00	25 00
3 to $3\frac{1}{2}$ ft	5 00	35 00
4 to 5 ft	7 50	50 00
	1 4 00	
scabra. $3$ to $3\frac{1}{2}$ ft		15 00
4 to 5 ft		$\frac{20}{30} \frac{00}{00}$
5 to 6 ft. 77  DIERVILLA (Weigela) florida, var. amabilis. 5 to 6 ft. 77		40 00
florida; syn., rosea. $2\frac{1}{2}$ to 3 ft 33		40 00
3 to 4 ft 50	$\frac{7}{4} \frac{30}{00}$	20 00
4 to 5 ft 78		30 00
florida, var. candida. 3 to $3\frac{1}{2}$ ft 35		0000
4 to 5 ft 50	4 00.	30 00
5 to 6 ft 78	5  5  00	40 00
florida nana, var. aurea variegata— $2\frac{1}{2}$ to 3 ft		
$2\frac{1}{2}$ to 3 ft		30 00
florida, var. Sieboldi alba. 4 to 5 ft 73 floribunda Lavallei. 3 to $3\frac{1}{2}$ ft		
floribunda Lavallei. 3 to $3\frac{1}{2}$ ft		30 00
$\frac{3\frac{1}{2}}{5}$ to 4 ft		40 00
Japonica (syn., hortensis), var. flori-	, 0.00	40 00
bunda, 3 to $3\frac{1}{2}$ ft	5 2 00	15 00
		25 00
3½ to 4 ft	5 - 5 = 00	
<b>Japonica</b> , var. Eva Rathke. 2 to $2\frac{1}{2}$ ft $+$ 33		20 00
$2\frac{1}{2}$ to 3 ft 50		25 00
4 to 5 ft		30 00
Japonica, var. nivea. White. $2\frac{1}{2}$ to 3 ft. 50 $3\frac{1}{2}$ to 4 ft. 7		
$3\frac{1}{2}$ to 4 ft		30 00
5 to 6 ft 7		35 00
Grænewegeni. 4 to 5 ft 50		30 00
5 to 6 ft 78	6 00	40 00
Grænewegeni, var. Mad. Contourier. (Hy-		
brid). 3 to $3\frac{1}{2}$ ft		
$ 3\frac{1}{2} \text{ to } 4 \text{ ft.} \dots 50 $ 5 to 6 ft		$\frac{25}{20} \frac{00}{00}$
5 to 6 ft		30 00
Grænewegeni, var. Steltzneri. $3$ to $3\frac{1}{2}$ ft. $5$ ( $3\frac{1}{2}$ to $4$ ft. $6$ 0		30 00
$5^{\frac{5}{2}}$ to $6$ ft		50 00
Grænewegeni, var. Van Houttei—		00 00
3 to 3\frac{1}{2} ft	3 00	
4 to $4\frac{1}{2}$ ft	4 00	
5 to 6 ft 78		40 00
Verschaffelti 3 to 31 ft	3 00	00.60
4 to 5 ft	$\frac{4}{7} \frac{00}{50}$	30 00
5 to 7 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 00
sessilifolia.     2 to 3 ft.     2       3 to 3½ ft.     50		25 00
4 to 5 ft		$\frac{25}{35} \frac{00}{00}$
$\frac{4}{4}$ to $\frac{5}{5}$ ft		20 00
3 to 4 ft 50		$\frac{25}{25} \frac{00}{00}$
0 00 2 200 0000000000000000000000000000		

**Leopoldi.** 4 to 5 ft. ......

75

5 00

4 00

30 00

	Each	10	100
HIBISCUS purpureus folis argentea marginata—			
$\frac{3}{4}$ to $\frac{31}{42}$ ft		\$3 00	\$20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{50}{35}$	4 00	$\begin{array}{ccc} 25 & 00 \\ 20 & 00 \end{array}$
3 to $3\frac{1}{2}$ ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{25} \frac{00}{00}$
$3\frac{1}{2}$ to $4$ ft	75	$\frac{1}{5} \frac{00}{00}$	30 00
HIPPOPHAE rhamnoides. See Buckthorn.		•, 00	00 00
$3\frac{1}{2}$ to 4 ft.	50	2 50	20 00
HYDRANGEA arborescens, 1\frac{1}{2} to 2 ft	50	$\frac{-3}{3}$ 50	20 00
Hortensis, var. Imperatrice Eugenie—			
$1\frac{1}{2}$ ft.; 4-in. pot	<u>75</u>		
Hortensis, var. Utaska. 3-year	<b>7</b> 5		
paniculata. $2\frac{1}{2}$ to 3 ft	75 35	3 00	
$3\frac{1}{2}$ to 4 ft.; very heavy	50 50	4 00	30 00
4 to 5 ft	75	6 00	40 00
5 to 6 ft	1 00	7 50	$50 \ 00$
paniculata grandiflora. $2\frac{1}{2}$ to $3$ ft	35	3 00	
3 to $3\frac{1}{2}$ ft	50	4 00	$\frac{25}{60}$
$3\frac{1}{2}$ to $4$ ft.	75	$\frac{6}{9}$	$\frac{35}{20} \frac{00}{00}$
$4$ to $4\frac{1}{2}$ ft.; an extra heavy lot $4\frac{1}{2}$ to $5$ ft.; bushy	1 50	$\begin{array}{c} 7 & 50 \\ 12 & 50 \end{array}$	$\frac{50}{60} \frac{00}{00}$
quercifolia. Oak-leaved—	1 90	14 90	00 00
1½ to 2 ft ◆	1 00	7.50	50 00
HYPERICUM aureum. 3 to 34 ft	35	3 00	25 - 00
calcinum. Aaron's Beard. 2 ft	50	4 00	
hircinum. 1 to $1\frac{1}{2}$ tt	35	2 50	
Moserianum hybridum. Gold-Flower—	50	9.50	90.00
$10$ to $12$ in prolificum. $2\frac{1}{2}$ to $3$ ft	35	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 20 & 00 \end{array}$
3 to $3\frac{1}{2}$ ft	50	3 50	$\frac{1}{25} \frac{1}{00}$
4 to $4\frac{1}{2}$ ft	75	5 00	
ILEX verticillata. Winter Berry. 1\frac{1}{2} to 2 ft	25	$\frac{2}{3} \frac{00}{00}$	17 50
2 to $2\frac{1}{2}$ ft	35		$25 \ 00$
$2\frac{1}{2}$ to $\frac{3}{2}$ ft	50	4 00	
ITEA Virginica. $1\frac{1}{2}$ to $2$ ft. $2$ to $2\frac{1}{2}$ ft.	35	$\frac{2}{3} \frac{00}{00}$	$\frac{15}{2} \frac{00}{00}$
$2$ to $2\frac{1}{2}$ it. $2\frac{1}{2}$ to $3$ ft. $2\frac{1}{2}$	50 75	$\frac{3}{6} \frac{00}{00}$	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
IASMINIIM nudiflarum Vallow Issuino-	19	0 00	30 00
JASMINUM nudiflorum. Yellow Jasmine— 2 to 2½ ft	50	3 50	25 00
officinale. Hardy White Jasmine—			
$2$ to $2\frac{1}{2}$ ft	50	3.50	
KERRIA. See Corchorus.			
<b>LESPEDEZA bicolor.</b> $2\frac{1}{2}$ to 3 ft	35	$\frac{2}{1} \frac{50}{00}$	20 00
3 to 4 ft	50	4 00	25/00
Sieboldi; syn., Desmodium Japonicum— Heavy clumps	35	3 00	
Sieboldi, var. alba. Heavy clumps—	50	4 00	
LIGUSTRUM Amurense. Amoor Privet—			
6 to 8 ft	1 00	8 50	
8 to 9 ft \$1.50 to	2.50		
ciliatum. Sold by many for Ibota.		4 ~0	
2 to 2± tt	$\frac{25}{35}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	20 00
$2\frac{1}{2}$ to $3$ ft. Broad and heavy 3 to $3\frac{1}{2}$ ft. Broad and heavy	50 50	$\frac{2}{3} \frac{50}{50}$	$\frac{20}{25} \frac{00}{00}$
3½ to 4 ft. Broad and heavy	60	4 00	30 00
$3\frac{1}{2}$ to $\overline{4}$ ft. Broad and heavy 4 to 5 ft. Broad and heavy	75	5 00	35 00
•			

	Each	10	100
LIGUSTRUM Ibota. The true upright form-	230011	10	100
$2$ to $2\frac{1}{2}$ ft.	\$0 25	\$2 00	\$12.56
$2\frac{1}{2}$ to $3$ ft	35	3 00	15 00
$\overline{3}^2$ to $\overline{3}_{\overline{2}}^{1}$ ft	50	3 50	$\frac{13}{20} \frac{00}{00}$
4 to 5 ft. Heavy	60	4 00	30 00
6 to 7 ft		6 00	50 00
lbota, var. Regelianum. Regel's-		0 00	50 00
$\frac{2}{2}$ to $2\frac{1}{2}$ ft	50	4 00	20 00
$2\frac{1}{2}$ to $3$ ft	75	6 00	$\frac{20}{25} \frac{00}{00}$
$\frac{1}{4}$ to $4\frac{1}{2}$ ft.		7 50	$\frac{25}{35} \frac{00}{00}$
$4\frac{1}{2}$ to $5$ ft	$1 \frac{1}{25}$	10 00	60 00
media. 4 to 5 ft.	75	5 00	30 00
ovalifolium. California Privet—	10	5 00	30 00
2 to $2\frac{1}{2}$ ft.; bushy $\int 1,000, \$40 + 1$	25	4 00	7 50
2 to 22 it., bushy 1 1,000, \$407 (		1 00	7 50
$2\frac{1}{2}$ to $\frac{3}{2}$ ft.; bushy $\{1,000, \$60 + \}$	35	1 50	10 00
$3$ to $3\frac{1}{2}$ ft.; bushy	50	$\frac{50}{2}$	15 00
$3\frac{1}{2}$ to $4$ ft.; bushy	<u>60</u>	4 00	20 00
4 to 5 ft.; bushy		5 00	35 00
5 to 6 ft.; bushy			
Grand stock, all transplanted			
a great deal of Privet offered by			
nurseries has never been trans-			
planted. Ours have all been. We	•		
find it gives better results.			
Sinensis. Chinese Privet. 2 to $2\frac{1}{2}$ ft	35	2 50	20 00
$3$ to $3\frac{1}{2}$ ft	50	3 50	25 09
3½ to 4 ft	75	4 00	30 00
vulgaris. Common Privet. $2\frac{1}{2}$ to 3 ft.	35	3 00	15 00
3 to $3\frac{1}{2}$ ft	50	4 00	20 00
LONICERA fragrantissima. Chinese Fragrant Bush			
Honeysuckle. 2 to 3 ft	25	2 00	
3 to 4 ft		3 00	25 00
4 to 5 ft.; heavy		4 00	30 00
5 to 6 ft.; heavy	75		



A Portion of the Propagating Grounds at Andorra.

Ea	ch	10	100
LONICERA Morrowi. Japanese Bush Honeysuckle— 3 to $3\frac{1}{2}$ ft	50 \$	3 50	\$25 00
$3\frac{1}{2}$ to $\tilde{4}$ ft	75	5 00	$\frac{425}{35} \frac{00}{00}$
4 to 5 ft	00 50	$\frac{6}{3} \frac{00}{50}$	$\frac{40}{25} \frac{00}{00}$
Ruprechtiana. 2 to 3 ft		6 00	25 00
3 to 4 ft.  Standishi. Standish's Honeysuckle—			
3 to 4 ft	75 35	6 00	
3½ to 6 ft.	50	$\frac{2}{3} \frac{50}{00}$	25 00
5 to 6 ft	75	5/00	
6 to 8 ft.; heavy	50	$egin{smallmatrix} 6 & 00 & -3 \\ 3 & 50 & -3 \end{bmatrix}$	
Tatarica (rubra). $2\frac{1}{2}$ to 3 ft. $3\frac{1}{2}$ to 4 ft. Tatarica, var. alba. 2 to $2\frac{1}{2}$ ft.	75	5 00	30 00
<b>Tatarica</b> , var. alba. 2 to $2\frac{1}{2}$ ft	$\frac{35}{50}$	3 00 3 50	20.00
3 to 4 ft	00	5 50 8 50	30 00
Tatarica, var. bella albida. 3 to 4 ft	50	4 00	25 00
4 to 5 ft		$egin{smallmatrix} 5 & 00 \ 7 & 50 \end{bmatrix}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Tatarica, var. gracilis. 3 to 4 ft.		4 00	$\frac{35}{25} \frac{00}{00}$
4 to 5 ft	75	6 00	30 00
3 to $4$ ft	35 50	3 00 3 50	$\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft	75	5 00	30 00
Tatarica, var. splendens. 2 to $2\frac{1}{2}$ ft		3 00	
3 to 4 ft.  LYCIUM Chinense. Matrimony Vine. 2½ to 3 ft		$egin{array}{ccc} 4&00 & \ 2&50 & \end{array}$	20 00
o to o≠ it	50	4 00	25 00
MYRICA cerifera. Wax Myrtle. 1 to $1\frac{1}{2}$ ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft		4 00	
PAVIA parviflora. See Æsculus, under Shrubs.			
PHILADELPHUS coronarius. Mock Orange—	35	3 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	4 00	30 00
4 to 5 ft	75	6 00	
Mock Orange. $2\frac{1}{2}$ to 3 ft.	50	4 00	
grandiflorus. 3 to 4 ft		4 00	25 00
4 to 5 ft		$\frac{6}{7} \frac{00}{50}$	$\frac{30}{35} \frac{00}{00}$
	50 1	2 50	60 00
6 to 8 ft		3 00.	25 00
Lemoinei, var. erectus. $2\frac{1}{2}$ to $3$ ft.		$\frac{4}{3} \frac{00}{00}$	$\frac{25}{20} \frac{00}{00}$
$3$ to $3\frac{1}{2}$ ft Lemoinei, var. erectus. $2\frac{1}{2}$ to $3$ ft. $3$ to $3\frac{1}{2}$ ft	50	4 00	25 00
Mt. Blanc. 2½ to 3 ft Zeyheri, var. speciosissimus—	50	3 50	25 00
3 to 3½ ft.	50	4 00	25 00
3 to 3½ ft. 5 to 6 ft.	75	6 00	
POTENTILLA truticosa Shrubby Cinquetoil	35	3 00	20 00
2 to 2½ ft	50	3 50	$\frac{25}{25} \frac{00}{00}$
3 to 3½ ft.	75	4 00	
2 to 21 ft	75	5 00	
amygdalus communis, var. rosea. 2 to $2\frac{1}{2}$ ft.		5 00	

Ea	ich	10	106
PYRUS arbutifolia. Chokeberry. 2 to 3 ft\$0		\$3 00	
$3\frac{1}{2}$ to 4 ft	50	4 00	\$25 00
4 to 5 ft	75	5 00	30 00
RHAMNUS cathartica. Buckthorn, 3 to 4 ft	35	3 00	15 00
4 to 5 ft. 5 to 6 ft.	$\frac{50}{75}$	$\begin{array}{c} 3 \ 50 \\ 4 \ 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
RHCDOTYPUS kerrioides. White Kerria. 2 to 2½ ft.	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	$\tilde{3}\tilde{5}$	3 00	$\frac{15}{25} \frac{00}{00}$
$3\frac{7}{2}$ to 4 ft	50	4 00	30 00
4 to $4\frac{1}{2}$ ft	75	6 00	40 00
-	00	7 50	50 00
RHUS aromatica. Fragrant Sumac. 2 to 2½ ft	50	4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$egin{array}{cccccccccccccccccccccccccccccccccccc$	75 00	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
copallina. Shining Sumac. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	35 00
4 to 5 ft	75	6 00	
Cotinus. Mist, or Smoke Tree. 3 to 3½ ft	35	3 00	$\frac{25}{20} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft	50 75	$\frac{4}{6} \frac{00}{00}$	$\frac{30}{35} \frac{00}{00}$
6 to 8 ft		$\frac{0}{7} \frac{50}{50}$	40 00
Cotinus, var. atropurpurea. Purple Mist-		• 00	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	
$\frac{3}{2}$ to $\frac{31}{2}$ ft	75	6 00	
$3\frac{1}{2}$ to 4 ft		7 50	15 50
RIBES aureum. Golden Currant. 3 to 4 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 20 & 00 \end{array}$
5 to 6 ft	75	5 00	$\frac{25}{25} \frac{00}{00}$
Gordonianum. $2\frac{1}{2}$ to 3 ft	35	3 00	20 00
$3$ to $3\frac{1}{2}$ ft	50	4 00	30 00
sanguineum. $2$ to $2\frac{1}{2}$ ft	35	3 00	
<b>ROBINIA hispida.</b> Rose Acacia. 2 to $2\frac{1}{2}$ ft	25	2 00	
RUBUS Canadensis. 3 to 4 ft	35	2 00	12 50
odoratus. $2\frac{1}{2}$ to 3 ft	$\frac{25}{35}$	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
3 to 4 ft	25	1 50	10 00
Melanocarpus. 4 to 5 ft	75	6 00	10 00
nigra, var. aurea. Golden Elder—		0 00	
3 to 4 ft	50	3 50	25 00
4 to 5 ft	60	4 00	35 00
5 to 6 ft	75	5 00	40 00
nigra, var. laciniata. Cut-leaved Elder— 2½ to 3 ft	35	3 00	20 00
$3^2$ to $4$ ft	50	4 00	30 00
racemosa. Red-fruited, 2 to 3 ft	35	3 00	
3 to 4 ft	50		
5 to 6 ft		9.50	20.00
SPIRÆA arguta. 4 to $4\frac{1}{2}$ ft	$\frac{35}{50}$	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
Billardii. $3$ to $3\frac{1}{2}$ ft	35	3 00	20 00
5 to 6 ft	50	3 50	$25\ 00$
Bumalda. 2 ft	35	3 00	
$2\frac{1}{2}$ ft.; heavy	50 75	$\frac{4}{6} \frac{00}{00}$	
3 ft	19	0 00	

#### ANDORRA NURSERIES

0010.54.0	Ea	ch	10	100
SPIRÆA Bumalda, var. Anthony Waterer—	ΦO	25	@0. OO	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	∌∪	45 35	\$2 00 3 00	\$20 00
$2\frac{1}{2}$ to $3$ ft.; heavy $3$ to $3\frac{1}{2}$ ft.; heavy		50	4 00	30 00
$3$ to $3\frac{1}{2}$ ft.; heavy		75	$\bar{6} \ 00$	50 00
canosa, Fortune's Spirea, 3 to 4 ff.		50	$\frac{3}{50}$	25 00
callosa, var. alba. $2$ to $2\frac{1}{2}$ ft		35	3 00	20 00
$2\frac{1}{2}$ to 3 ft		50 50	4 00	25 00
Lindlevana 4 to 5 ft		50	3 50 3 50 3 00	25 00
Lindleyana. 4 to 5 ft		35	3 00	$\frac{25}{25} \frac{00}{00}$
3 to 31 ft		50	4 00	30 00
opulifolia. 2 to 3 ft		25	$\frac{2}{3} \frac{00}{00}$	15 00
5 to 4 ft		35		$\frac{25}{20} \frac{00}{00}$
4 to 5 ft	• • •	$\frac{50}{75}$	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	$\frac{30}{50} \frac{00}{00}$
6 to 7 ft.; heavyopulifolia, var. aurea. Golden-leaved—	• • •	10	0 00	50 00
13 TO Z II		25	2 00	
3 to 4 ft		$\overline{50}$	4 00	25 00
4 to 5 ft.; heavy		75	6 00	
3 to 4 ft. 4 to 5 ft.; heavy prunifolia flore pleno. Bridal Wreath—		0-	0.00	
O 10 1 11,		35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	• • •	35	3 00	20.00
$2\frac{1}{2}$ to $3$ ft		50	4 00	30 00
3 to 4 ft		75	6 00	35 00
rotundifolia; syn., bracteata. $5$ to $5\frac{1}{2}$ ft	1	$\widetilde{00}$	7 50	
sorbifolia. 3 to 4 ft		50	$\begin{array}{c} 3 & 50 \\ 6 & 00 \end{array}$	30 00
4 to 5 ft	• • •	75	0 00	
9 to 91 ft		35	3 00	25 00
2½ to 3 ft.; very heavy 3½ to 4 ft.; very heavy		50	4 00	30 00
$3\frac{1}{2}$ to 4 ft.; very heavy		75	6 00	40 00
van Houttel. 2 to $2\frac{1}{2}$ it	• • •	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\frac{2}{2}$ to $\frac{3}{4}$ ft (	• • •	75	6 00	30 00
4 to 5 ft FINE \	1	00	7 50	40 00
3 to 3½ ft. 4 to 5 ft. 5 to 6 ft {FINE}	1	50	10 00	50 00
STAPHYLEA Colchica. Bladder Nut. 3 to 3½ ft		35	3 00	<b>05</b> 00
$3\frac{1}{2}$ to 4 ft	• • •	$\frac{50}{75}$	$\frac{4}{6} \frac{00}{00}$	$\frac{35}{40} \frac{00}{00}$
5 to 6 ft	1	60	7 50	60 00
STEPHANANDRA flexuosa. 2 to 2\frac{1}{2} ft		35	3 00	30 00
$2\frac{1}{2}$ to 3 ft.: heavy		50	4 00	
3 to 4 ft		<b>7</b> 5	- 6 00	40 00
STYRAX Japonica. $3\frac{1}{2}$ to 4 ft	• • •	75	6 00	50 00
2 to 21 ft		35	3 00	
SYMPHORICARPUS racemosus. Snowberry—  2 to 2½ ft.  2½ to 3 ft.		50	3 50	25 00
3 to 4 ft		75	6 00	50 00
vulgaris. Coral Berry—		0-	0.00	4 F CO
2 to 3 ft		35	3 00	$\frac{15}{20} \frac{00}{00}$
$3$ to $3\frac{1}{2}$ ft		50 75	$\frac{4}{6} \frac{00}{00}$	$\frac{20}{25} \frac{00}{00}$
4 to 5 ft.	1	00	7 00	$\frac{25}{30} \frac{00}{00}$
SYRINGA Chinensis; syn., Rothomagensis. Rot	ien	30		*,0 .,()
SYRINGA Chinensis; syn., Rothomagensis. Rot Lilac. 3 to 3½ ft		50	3 50	25 00
Japonica. 5 to 6 ft	1	00	8 50	

#### PRICE LIST FOR SPRING OF 1910

	TRICE EIGH TOR STRING OF 101	Ÿ.	
	Each	10	100
YRINGA	Josikæa.       2½ to 3 ft.       \$1 00         Josikæa, var. eximia.       4 to 5 ft.       1 00         Josikæa, var. H. Zabel.       2½ to 3 ft.       75	\$7 50	
	Josikæa, var. eximia. 4 to 5 ft 1 00		
	Josikæa, var. H. Zabel. $2\frac{1}{2}$ to 3 ft 75	6 00	
	Pekinensis. 25 to 5 ft		
	Persona $A$ to $A \perp$ ft	4 00	
	<b>Persica</b> , var. alba. 2 to $2\frac{1}{2}$ ft 50	4 00	\$20 00
	Persica, $\frac{1}{4}$ var. alba. $\frac{1}{2}$ to $\frac{1}{2}$ ft. $\frac{50}{4}$ 4 to 5 ft. $\frac{75}{4}$ Persica, var. laciniata. $\frac{1}{2}$ to 3 ft. $\frac{35}{4}$	6 00	25 00
	<b>Persica</b> , var. laciniata. $2\frac{1}{2}$ to 3 ft 35	3 00	35 00
	<b>villosa.</b> 3 to $3\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 00
	3½ to 4 ft	8 50	30 00
,	vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35	3 00	
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	4 00	
	$3\frac{1}{2}$ to $4$ ft.; very heavy 1 00	9 00	
	$\frac{3_1}{4}$ to $\frac{4}{5}$ ft.; very heavy	22 50	
	5 to 6 ft		
	vulgaris alba. $2\frac{1}{2}$ to 3 ft	4 50	35 00
	5 to 55 tt 1 UU	6 00	
	vulgaris, named varieties—		
	alba grandiflora. Single, white— $3 \text{ to } 3\frac{1}{2} \text{ ft.}$	6 00	
	Charles X. Single, reddish purple—	0 00	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 35$	3 00	25 00
	3 to $3\frac{1}{2}$ ft	6 00	
	3½ to 4 ft	8 50	
	Frau Bertha Dammann. Single, white-		
	2 to 2½ ft	4 00	
	La Tour d'Auvergne. Double, violet-	0.00	
	purple. 2 to 3 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	
	Le Gaulois. Double, peach. 3 to 4 ft. 1 00 Lovaniensis. Single, pink. 3 to 4 ft. 1 50	1 30	
	Mad. Lemoine. Double, white. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50	4 00	25 00
	$\frac{2_1}{2}$ to 3 ft	6 00	30 00
	3 to 4 ft	7 50	60 00
	Marie LeGraye. Single, white. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50	4 00	30 00
	2½ to 3 ft 75	6 00	40 00
	$3$ to $3\frac{1}{2}$ ft	8 50	
	Marc Micheli. Double, lilac-blue—	13 50	
	3½ to 4 ft	19 90	
	14 to 2 ft	4 00	
	$2\frac{1}{2}$ to 3 ft	$\tilde{6} \ \tilde{0}\tilde{0}$	
	3 to $3\frac{1}{2}$ ft	8 50	
	3½ to 4 ft	$13 \ 50$	
	Matthew de Dombasle. Double, mauye-	0.00	
	$\frac{2\frac{1}{2}}{3}$ to $\frac{3}{2}$ ft	$\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$	
	3 to $3\frac{1}{2}$ ft	8.50	
	2 to 2½ ft	6 00	
	2 to 2½ ft	0 00.	
	24 to 3 tt	NA.	
	Rubra de Marley. Single, reddish purple—		
	2 to 25 ft	4 00	40.00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{6}{7} \frac{00^{\circ}}{50}$	$\frac{40}{60} \frac{00}{00}$
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 30	00 00
	Senator Volland. Double, red—		
	3 to 4 ft	8 50	
	3 .3 1		

Each	10	100
SYRINGA Souvenir de Ludwig Spæth. Single red—	00.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} \$6 & 00 \\ 7 & 50 \end{array}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$12 \ 50$	
Verschaffelt. Single, dark red-	1= 00	
$3\frac{1}{2}$ to 4 ft		
TAMARIX Africana; syn., parviflora. $2\frac{1}{2}$ to 3 ft 35	3 00	\$17.50
3. to 4 ft	$\frac{4}{6} \frac{00}{00}$	20 00
4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{25}{30} \frac{00}{00}$
Gallica. 3 to 4 ft	3 00	15 00
4 to 5 ft 50	4 00	20 00
Gallica, var. Indica. 3 to 4 ft 50	4 00	15 00
5 to 6 ft	6 00	25 00
Japonica plumosa.         2 to 3 ft.         35           3 to 4 ft.         50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
5 to 6 ft	5 00	30 00
VACCINIUM corymbosum. Swamp Huckleberry-		
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	4 00	25 00
VIBURNUM acerifolium.       2 to $2\frac{1}{2}$ ft.       50 $2\frac{1}{2}$ to 3 ft.       75	3 00	$\frac{20}{30} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 00
$2\frac{1}{2}$ to 3 ft	4 50	
$3$ to $3\frac{1}{2}$ ft	6 00	35 00
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 100$	7 50	$\frac{50}{2} \frac{00}{00}$
dentatum. Arrow-wood. $2\frac{1}{2}$ to 3 ft 50 $3\frac{1}{6}$ to 4 ft	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$ \frac{3\frac{1}{2} \text{ to } 4 \text{ ft.}}{4 \text{ to } 5 \text{ ft.}}; \text{ heavy} \dots \frac{1}{2} \frac{00}{20} $	8 50	40 00
5 to 6 ft 1 50	$10\ 00$	60 00
<b>Lantana.</b> Wayfaring Tree. $1\frac{1}{2}$ to 2 ft. 25	$\frac{2}{2} \frac{00}{00}$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{30} \frac{00}{00}$
3½ to 4 ft.; heavy	6 00	35 00
5 to 6 ft.; very heavy 1 00	8 50	40 00
6 to 8 ft.; very heavy 1 50	13 50	50 00
<b>Lentago.</b> Sheep-berry. $2\frac{1}{2}$ to 3 ft 35 3 to $3\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{20} \frac{00}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00	$\frac{30}{40} \frac{00}{00}$
5 to 6 ft 1 00	$7 \tilde{50}$	50 00
molle. $3$ to $3\frac{1}{2}$ ft	4 00	
4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
5 to 6 ft 1 00  Opulus. High Cranberry Bush—	1 00	30 00
$1\frac{1}{2}$ to 2 ft	3 00	20 00
2 to $2\frac{1}{2}$ ft	3 50	30 00
3 to 4 ft. Fine	$\frac{4}{6} \frac{00}{00}$	$\frac{35}{50} \frac{00}{00}$
4 to 5 ft. Fine	8 50	$\frac{50}{75} \frac{00}{00}$
Opulus, var. sterile. Guelder Rose—	- 00	.0 00
2 to 3 ft 35	3 00	15 00
$\frac{3}{4}$ to $\frac{31}{2}$ ft	4 00	25 00
4 to 5 ft	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
plicatum. Japanese Snowball—	1 00	00 00
$2\frac{1}{2}$ to 3 ft	5 00	
4 to 5 ft 1 00		

PRICE LIST FOR SPRING OF 1910	47
Each 10	100
VIBURNUM plicatum, var. tomentosum. Single Japan Snowball. 4 to 5 ft.; extra fine. \$0 75 5 to 6 ft. Specimens. Fine 1 00 7 50 6 to 8 ft. Specimens. Fine 2 50 A beautiful shrub, deserving extensive planting. prunifolium. Black Haw.—	\$35 00 60 00 150 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
XANTHORRHIZA apiifolia.         Shrub Yellow Root—           5 to 6 in.         In clumps         35         2 50           6 to 8 in.         In clumps         50         3 50	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
REEDS and GRASSES	
ARUNDO Donax.         Clumps         Each           BAMBUSA Metake         50           ELYMUS glaucus         25           FRIANTHUS Rayennæ         50	\$3 50 \$ 50 \$ 50 \$ 50 \$ 50
EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps	$\begin{array}{c} 3 & 50 \\ 1 & 50 \\ 1 & 50 \\ 1 & 50 \end{array}$
VINES, CLIMBING and TRAILING PLA	NTS
ACTINIDIA polygama. 5-in. pots \$0 50 50 6-in. pots; heavy 1 00 AKEBIA quinata. From 5-in. pots 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in pots 35 3-year, field-grown; heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy 35	10 \$3 50 7 50 3 50 3 00 2 00 3 00 2 00
tricuspidata; syn., Veitchi. Japan, or Boston  1vy. 4-in. pots; heavy	
3 to 5 ft.; heavy; field-grown 75	5 00

CLEMATIS coccinea. 4-in. pots	ach 0 35 75 35	\$3 00 6 00 3 00
Jeanne d'Arc, Duchess of Edinburgh, Kermesina, Lady Caroline Neville, Lilacina floribunda, Madame Van Houtte, Miss Bateman, President	50 30	4 00 2 50 2 50
5-in. pots; fine	50	3 50
<b>EUONYMUS radicans.</b> 1 ft.; field-grownper 100, \$10 1\frac{1}{2} to 2 ft.; field-grownper 100, \$15	$\frac{25}{35}$	$\begin{array}{ccc} 1 & 75 \\ 2 & 50 \end{array}$
HEDERA Helix. English Ivy. 4-in. potsper 100, \$15	$\frac{25}{50}$	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \end{array}$
5-in. pots per 100, \$35.  LATHYRUS latifolius. Everlasting Pea	35	2 50
LONICERA Japonica. Honeysuckle. 4 in. pots	35	2 50
3-year; field-grown	35	3 00
grown	35	3 00
Japonica, var. aurea reticulata. 4-in. pots  Japonica, var. Chinensis. Purplish green foliage—	35	3 00
4-in. pots	25	2 00
Heavy field-grown	35	$\frac{3}{2} \frac{00}{00}$
Japonica, var. Halleana. 4-in. pots	$\frac{25}{35}$	$\frac{2}{3} \frac{00}{00}$
5-in. pots	35	3 00
sempervirens, var. fuchsioides. Scarlet Trumpet—	F0	9 50
5-in. pots	50 35	3 50 3 00
PERIPLOCA Græca. Silk Vine. Field-grown	50 50	4 00
6-in. pots	50	4 00
PUERARIA Thunbergiana: syn., Dolichos Japonicus, Kudzu		
Vine. In pots	1 00	7 50
TECOMA. See Bignonia. VITIS æstivalis. Summer Grape. 5-in. pots	75	6 00
heterophylla, var. variegata. 5-in. pots	75	6 00
Labrusca. Fox Grape. 5-in. pots	50	4 00
WISTARIA Chinensis. Chinese Wistaria-		n 00
2 to 3 ft.; field-grown	75 1 00	6 00 7 50
4 to 6 ft.: field-grown	3 50	. 00
Chinensis, var. alba. Field-grown\$1 50 to	$\frac{2}{1} \frac{50}{00}$	
frutescens. 3 to 4 ft	2 50	
magnifica. 5 to 6 ft.: field-grown \$1.50 to	2 00	F 00
multilling 2 to 3 tf * neld-grown		5 00 7 50
3 to 4 ft.; field-grown	3 50	
multijuga, var. alba. Field-grown	75 1 00	6 00 7 50
3 to 4 ft. 4 to 6 ft\$1.50 to	3 50	. 50

# FRUIT DEPARTMENT

APPLES, Summer—Early Harvest, Golden Sweet, Red Astra- chan, Summer Rambo, Sweet Bough, Benoin,	Cach	10
Yellow Transparent.  Autumn—Fall Pippin, Gravenstein, Maiden's Blush, Smokehouse, Wealthy.  Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial.		
5 to 7 ft.; \( \frac{2}{3} \) to 1 in. cal	0 75	\$6 00
Crab—Hyslop, Large Red Siberian, Large Yellow Siberian, Transcendent, 5 to 7 ft  CHERRIES, Sour (Dukes and Morellos)—Early Richmond,	75	6 00
CHERRIES,  Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke, Montmorency. 5 to 6 ft.  Large Sweet (Hearts and Bigarreaus)—Black Tartarian, Governor Wood, Napoleon Bigarreau, Schmidt's Bigarreau, Windsor.	1 00	8 50
Standard S. Bigarreau, Windsor. 5 to 6 ft	1 00	8 50
Spanish Chestnut. See under Deciduous Trees.  Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft  Japan Chestnut. 3 to 4 ft		12 50
PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheatland. 5 to 6 ftper 100, \$30  PEARS, Summer—Bartlett. Clapp's Favorite, Doyenne d'Ete.  Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden	50	3 50
Seckel. 5 to 6 ft	$\frac{1}{2} \frac{00}{00}$	$\begin{array}{ccc} 8 & 50 \\ 15 & 00 \end{array}$
PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma.		7 50
5 to 6 ft	75	6 00
SMALL FRUITS		
BLACKBERRIES—Eldorado, Erie, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape;		50
Black—Lee's Prolific	25	2 00
GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved	25	2 00
GRAPES, Black—Concord, Moore's Early, Warden; Red—Brighton, Catawba, Delaware; White—Green Mountain, Niagara, Pock-	20	2 00
RASPBERRIES, Black—Gregg: Red—Cuthbert. Columbian Ruby; Yellow—Golden Queen, per 100, \$3	25 50	2 00 3 00 50

10

STRAWBERRIES, Early—Bederwood, Marshall; Medium—
Bubach, Glen Mary, Sharpless,
Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50.
Potted plants, per 100, \$3 to \$4.

## **ESCULENT ROOTS**

## **ROSES**

KOSES		
N. B.—Potted unless noted. Special prices per hund	red.	
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow. \$0 SWEETBRIER—Rosa rubignosa HYBRIDS Penzance Briers—Amy Robsart, Anne of Geierstein, Brenda, Flora McIvor, Lady Penzance, Lord	40 40	10 \$3 50 3 50
Penzance, Meg Merrilies, Minna	50	4 50
BUSH—Blanda, Carolina, canina, lucida, lucida var. alba, multiflora, nitida, rubrifolia, field-grown	35	3 00
CLIMBING—Baltimore Belle, The Dawson, Dorothy Perkins, Lady Gay, Prairie Queen	50	3 50
Setigera. Prairie Rose. 2 to 2½ ft.; field grown. Ramblers—Crimson, White, Pink and Yellow, The	35	3 00
Dawson (carmine)	40	3 50
EVERBLOOMING Hybrid Teas—Bessie Brown, creamy white; Betty, ruddy gold; Captain Christy, flesh; Caroline Testout, rose; Countess of Caledon, carmine; Duchesse of Albany, deep pink; Gladys Harkness, salmon-pink; Gruss an Teplitz, crimson; Kaiserine Auguste Victoria, primrose; Killarney, pink; La France, rose; Madame Ravary, yellow; Souvenir du President Carnot, flesh-rose;		
Viscountess Folkestone, creamy pink  EVERBLOOMING, Miscellaneous—Clothilde Soupert (Polyantha), rosy white; etoile de Lyon (Tea), yellow; Francisca Kruger (Tea), yellow-peach; Francis Dubreuil (Tea), crimson; Harry Kirk, deep sulphur yellow; Maman Cochet (Tea), rosy white; Souvenir de la Malmaison (Bourbon), flesh; White Ma-	50	4 50
man Cochet (Tea), white	50	4 00
son; Zenobia, rose	50	4 00

RUGOSA ROSES			
	Each	10	100
<b>ROSA rugosa.</b> 2 to 23 ft	\$0 35	<b>\$</b> 3 00	<b>\$</b> 20 00
$2\frac{1}{2}$ to $3$ ft	50	4 00	35 00
$3^2$ to $3\frac{1}{2}$ ft	75	6 00	$50 \ 00$
rugosa, var. alba. $2  ext{ to } 2\frac{1}{2}  ext{ ft.}$	50	4 00	25 00
24 to 3 ft	75	6 00	50 00
rugosa Hybrids atropurpurea—Blanc Double			
de Coubert, Conrad F. Meyer, Madame			
Georges Bruant, Madam Charles Worth.			
Mrs. A. Waterer. Pot-grown	50	4 00	
WICHURAIANA ROSES			
ROSA Wichuraiana. The Trailing Rose. 2 to 3 ft	25	2 00	
2 to 3 ft In 4-in nots	35		25.00
2 to 3 ft. In 4-in, pots	$\begin{array}{c} 25 \\ 35 \end{array}$	3 00	25 00
Hybrids—Evergreen Gem, Gardenia, Manda's	35		25 00
Hybrids—Evergreen Gem, Gardenia, Manda's Triumph, Pink Roamer, South Orange		3 00	25 00
<b>Hybrids</b> —Evergreen Gem, Gardenia, Manda's Triumph, Pink Roamer, South Orange Perfection, Universal Favorite. In pots.	35 50		25 00
Hybrids—Evergreen Gem, Gardenia, Manda's Triumph, Pink Roamer, South Orange Perfection, Universal Favorite. In pots. SINGLE ROSES, Dickson's Hybrids—New Irish Beau-		3 00	25 00
<b>Hybrids</b> —Evergreen Gem, Gardenia, Manda's Triumph, Pink Roamer, South Orange Perfection, Universal Favorite. In pots.		3 00	25 00

# HARDY HERBACEOUS PLANTS

	Each	10	100
ACHILLEA filipendulina (Noble Yarrow). July. Golden yellow. 2 ft	0 15	91 05	010.00
Golden yellow. Z II	15	\$1 25	\$10 00
September. Pink. 13 ft	15	1 25	
September. Pink. $1\frac{1}{2}$ ft	15	1 25	10 00
tomentosum (Woolly Yarrow). June, Yellow.	25	2 00	
ACONITUM Fischeri (Monkshood). September and	2.9	2 00	
October. Blue. 3 ft	35	$2\ 50$	15 00
Lycoctonum (Wolf's-bane). June to September.	35	2 50	Ĭ
Yellow, 3 ft	99	2 30	
September, Rose, 3 ft	35	2 50	40
AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish blue. 6 in.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
ALTHÆA rosea (Hollyhock). July. Various colors.	20	1 90	12 00
4 to 6 ft	25	1 50	12 50
rosea, var. Allegheny Fringed	25	1 50	12 50
ALYSSUM rostratum. June and July. Golden Yellow. 1 ft	35	2 50	
saxatile compactum (Golden Tuft). May and			
June. Yellow, 1 ft	25	1 50	12 50
ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft	75	6.00	
ANEMONE (Windflower) Japonica. September.			
Red. 2 to 3 ft.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	12 50
Japonica, var. alba. Fall. White. 2 to 3 ft Japonica, var. Queen Charlotte. Fall. Rose.	. 20	1 90	12 50
2 to 3 ft	25	2 00	15 00
Japonica, var. Lady Ardilaun. Fall. White.	25	2 00	15.00
2 to 3 ft	-0	2 00	15 00



Partial view of Herbaceous Plantations

ANEMONE Japonica, var. Whirlwind. Fall. Pure	Each	10	100
white, 2 to 3 ft	25	\$2 00	<b>\$15</b> 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	25	1 50	12 50
Pulsatilla (Pasque Flower). May. Violet-pur-	0=		40 =0
nle 9 in	25	1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
sylvestris. May. Pure white. 1 to $1\frac{1}{2}$ ft	25	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to September, Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and		1 00	20 00
white 18 in	25	1 50	12 50
Canadensis. (Common Columbine). May to	~~	4 50	<b>40.00</b>
July. Scarlet and Yellow. 1 to 2 ft	25	1 50	10 00
Chrysantha. May to August. Golden Yellow.	25	2 00	12 50
3 ft	-0	2 00	12 00
to July. Blue. 18 in	25	2 00	12 50
flabellata, var. nana alba. April to June.			
White 1 ft	25	2 00	
nivea grandiflora. April to June. White.	25	2 00	12 50
vulgaris fl. pl. May to July. White to blue.	2.5	2 00	12 00
11 to 9 ft	25	2 00	12 50
1½ to 2 fttruncata. May and June. Scarlet, yellow-			
tipped 2 ft	25	2 00	12 50
ARABIS alpina (Rock Cress). April and May.	o=	1 50	10 00
White. 4 in	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{50}$	10 00
alpina fl. pl. Double	90	- 30	
May and June. White, 6 in	25	1 50	12 50
Tituj unu oution i i italia			

#### PRICE LIST FOR SPRING OF 1910

THIS DIGITION OF WING OF	1010		
	Each	10	100
ARMERIA maritima, var. alba (Thrift). Summer. White. 9 in\$	0 25	\$1 50	\$10 00
maritima, var. splendens. Summer Rose. 9 in.	$\frac{25}{25}$	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white			
4.11	25	1 50	10 00
Stelleriana (Old Woman), Silvery foliage, 2 ft.	25	1 50	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and	25	1 50	10 00
August. Orange. 2 ft	25	1 50	10 00
Amelius elegans. September and October. Blue.	200	1 90	10 00
1½ ft	25	1 50	10 00
ASTER (Michælmas Daisy) amethystinus. Septem-	~~		40.00
ber and October. Amethyst. 3 to 4 ft	. 25	1 50	10 00
grandiflorus. October and November. Violet-	35	2 50	20 00
blue. 2 ft			
White, 5 It	25	1 50	10 00
Madonna. September and October. White. 4 ft. Novæ Angliæ. September and October. Purple.	25	1 50	10 00
4 ft	25	1 50	10 00
Novæ Angliæ, var. rubra. September and	~~		40.00
October. Bright rose. 4 ft	25	1 50	10 00
ptarmicoides. August and September. White. $1\frac{1}{2}$ ft	25	1 50	10 00
Robert Parker. September and October. Laven-		1 00	10 00
der. 4 ft	25	1 50	10 00
Tataricus. October and November. Purple. 5 ft. Trinervius. October and November. Violet-	25	1 50	10 00
purple. $2\frac{1}{2}$ ft	25	1 50	10 00
White Queen September and October. White.	0=	4 =0	40.00
4 ft	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White, 1½ ft. ASTRANTIA major (Masterwort). June and July.	25	1 50	10 00
Pale pink. 1 ft	25	2 50	20 00
AUBRETIA Hendersoni (False Wall Cress). April.		- 00	20 00
Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July.	0~	1 =0	40.00
Dark blue. 2 fttinetoria. June and July. Bright yellow.	25	1 50	10 00
2 to 3 ft	25	1 50	10 00
BELEMCANDA Chinensis: svn., Pardanthus, June,			
Orange-red. 4 ft	25	. 1 50	10 00
BELLIS perennis (English Daisy) May. White and	25	1 50	10.00
pink. 6 to 8 in	40	1 90	10 00
BOCCONIA cordata (Plume Poppy). July and			
August. White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile), August			
and September. White. 4 ft	25	1 50	10 00
latisquama. August and September. Light lilac. 4 ft	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September.		1 00	10 00
Light blue, 18 in	25	1 50	10 00

	Each	10	100
CALLIRHOË involucrata (Poppy Mallow). All			
summer. Rosy crimson. 1 ft	$\frac{25}{25}$	\$1 50 1 50	\$10 00 10 00
Carpatica, var. alba. June to September. White.	25		
9 in  Mærheimi. May to July. White. 2 to $2\frac{1}{2}$ ft  persicifolia (Peach Bells). June and July.	25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00
Blue, 18 inpersicifolia alba. June and July. White. 18 inpyramidalis (Chimney Bellflower). August and	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\frac{10}{10} \frac{00}{00}$
September. Blue. 2 ft	25	1 50	.10 00
Une and July. Dark purple. 1½ ft  CERASTIUM tomentosum. June and July. White.	25	1 50	
6 in	25	1 50	12 50
ber and November. Blue. 6 in	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and September Rose-purple 2 ft	35	2 50	
ber. Rose-purple. 2 ft  obliqua, var. alba (Shell-flower). August and September. White, 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum	99	2 50	
(Shasta Daisies). Alaska, California, Westralia. All summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft Nipponicum. September and October. White.	25	1 50	12 50
9 f+	35	2 50	
Pompon Varieties. Fall. All colors. 1½ to 2 ft. Pompon Varieties, Heavy Stock.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	$\frac{10}{15} \frac{00}{00}$
ulignosum. September. White. $2\frac{1}{2}$ ft	$\frac{25}{25}$	$\frac{2}{1} \frac{60}{50}$	10 00
CHRYSOGONUM Virginianum (Golden Joint). June. Yellow. 1 ft	25	1 50	12 50
CHRYSOPSIS villosa (Golden Aster). September.		7	, ,
Yellow. 2 ft	25	2 00	15 00
White. $2\frac{1}{2}$ ft	35	2 59	
White. 2 to 3 ftracemosa (Snakeroot). July. White. 3 to 5 ft.	35	2 50	15 00
CINERARIA. See Artemisia.	25	1 50	12 50
CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue. Fragrant. 3 ft	25	1 50	12 50
Fragrant. 3 ftrecta. June to August. White. Fragrant. 2 to 3 ft	25	1 50	12 50
CONOCLINIUM coelestinum (Mist-flower). Septem-	25	1 50	12 50
ber and October. Deep blue. 18 in  CONVALLARIA majalis (Lily-of-the-Valley). May			
and June. White. 6 to 9 in	25	2 00	15 00
Golden yellow. 2 ft	15	1 25	10 00
CORONILLA varia (Crown Vetch). June and October. Pink. 1 to 2 ft	25	1 50	12 50

TRICE LIST FOR STRING OF	1910		00
I	Each	10	100
DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft	25	<b>\$1</b> 50	\$10 00
1½ ft	25	1 50	10 00
elatum (Bee Larkspur). June to August. Blue.	25	1 50	10 00
formosum (Larkspur). June to September.	25	1 50	10 00
Deep blue. 4 ft	40	т эо	10 00
Mixed colors, 1½ ft.  deltoides (Maiden Pink), June, Pink, 4 in., latifolius, June, Red, 1 ft.  plumarius (Hardy Pinks), May and June, 1 ft.	25 25 25 25	$\begin{array}{c} 1 & 50 \\ 1 & 50 \\ 1 & 50 \\ 2 & 00 \end{array}$	10 00 10 00 10 00 15 00
Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Mrs. Sinkins. White. Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower) June to August.			
Pink. I ft	25	1 50	10 00
Fink. 2 to 5 it	25	2 00	12 50
DICTAMNUS fraxinella (Gas Plant). June. Purple.	35	2 50	15 00
fraxinella, var. alba. June. White. 3 ft  DIGITALIS ambigua (Foxglove). July and August.	35	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$	15 00
Pale yellow. 3 ft	25	2 00	15 00
Mixed colors. 4 to 5 it	25	1 50	10 00
purpurea, var. gloxiniæflora. June and July. Mixed colors. 4 to 5 ft	25	1 50	10 00
DORONICUM Austriacum. April and May. Yellow.	35	2 50	15 00
plantagineum, var. excelsum. April to June. Yellow. 2 ft	35	2 50	<b>1</b> 5 00
ECHINACEA purpurea (Purple Cone-flower). July to September. Rosy purple. 3 ft	25	2 00	15 00
ERIGERON speciosus (Fleabane). June to August.	25	2 00	15 00
Violet-blue. 1½ to 2 ft			19 00
September. Amethyst-blue. 2 ft <b>EUPATORIUM ageratoides</b> (White Snakeroot). Sep-	35	2 50	
tember and October. White, 3 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	12 50
EUPHORBIA corollata (Spurge). July to September. White. 1½ ft	25	1 50	12 50
FEVERFEW, Little Gem. June to October. White.	25	1 50	
15 in		1 90	10 00
$1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
subcordata, var. grandiflora. September. White. Fragrant. 2 ft.	25	2 00	15 00
undulata, var. media picta variegata. July and August. Lilac. 1 ft	25	1 50	12 50

	ach	1	0	100
GAILLARDIA grandiflora (Blanket-flower). June to November, Yellow, 1½ ft\$0	25	\$1	50	\$10 00
GALEGA officinalis (Goat's Rue). July and August. Blue. 2 ft	25	1	50	10 00
omeinalls, var. alba. July and August. White.	25	1	50	10 00
GERANIUM sanguineum (Cranesbill). June to September. Red. 1½ ft	25	1	50	
GEUM coccineum (Avens). June and July. Scarlet.	25	2	00	15 00
1½ ft  Heldrechi. June. Orange. 18 in  montanum. June and July. Yellow, 18 in  GILLENIA trifoliata (Bowman's Root). Rose and	$\frac{25}{25}$	$\frac{2}{2}$	00	$\begin{array}{c} 15 & 00 \\ 15 & 00 \end{array}$
GILLENIA trifoliata (Bowman's Root). Rose and white. July. 3 ft	35	2	50	
GYPSOPHILA paniculata (Baby's Breath). July. White. 2 to 3 ft	25	1	50	12 50
HELENIUM, pumilum (Sneezewort). July to Octo-				
ber. Yellow. 1½ ft	25		50	10 00
Yellow. 4 ft	25	1	50	10 00
ber. Orange. 3 ft	$\frac{25}{25}$		00	$\begin{array}{c} 15 & 00 \\ 15 & 00 \end{array}$
HELIANTHUS (Perennial Sunflowers) giganteus.  August to October. Pale yellow. 6 to 10 ft.	25	1	50	10 00
Maximiliana. September Deep yellow 6 to 8 ft. mollis. September and October. Golden yellow.	$\frac{25}{25}$		50	10.00
4 ft	25	1	50	10 00
vellow 4 ft	25	1	50	10 00
orgyalis. September and October. Golden yellow. 6 ft.	25		50	10 00
rigidus. July to October. Golden yellow. 3 ft. rigidus, var. Miss Mellish. September and Octo-	25	1		10 00
ber. Golden yellow, 6 ftrigidus, var. Wolly Dodd. September. Deep yellow, 3 ft	25		50	10 00
yellow, 3 ft	25	1	50	10 00
yellow. 3 ft	25	1	50	10 00
White 6 in	35 35	3	00	
niger, var. atrorubens. March. Purple. 9 in HEMEROCALLIS Dumortieri (Yellow Day Lily).				10 50
June and July, Orange-yellow, 2 ft  flava, June, Yellow, 2 ft	$\frac{25}{25}$		$\frac{50}{50}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
fulva (Tawny Day Lily). July and August. A tawny yellow. 2½ ft	25	1	50	12 50
July and August. Copper vellow. 2½ ft	25	1	50	12 50
fulva, var. Thunbergii. August and September. Lemon-yellow. 2½ ft	25	1	50	12 50
HEPATICA triloha (Liverleaf). April. White and	25		25	10 00
heuchera sanguinea (Alumroot). June to Sep-	25		00	15 00
tember. Coral-red, 18 insanguinea, var. alba. June to September. White.				19 00
18 in	25	2	00	



A field of Japanese Iris at Andorra

HIBISCUS militaris. June to September. Buff-yellow.	ach	10	100
18 in\$0	25	\$2 00	
18 in			
Rose, 5 ft.  Moscheutos, var. Crimson Eye. July to September. White, 5 ft.	25	1 50	\$10 00
Moscheutos, var. Crimson Eye. July to Sep-			40.00
tember. White, 5 ft	25	1 50	10 00
HOLLYHOCKS. See Althæa rosea.			
IBERIS sempervirens (Candytuft). April and May.	25	1 50	10.00
White, 6 in	$\frac{25}{25}$	1 50	10 00
INULA Britannica (Fleabane). July to September.	40	1 90	10 00
Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calen-	20	1 00	12 00
dar of Hardy Perennials.			
atroviolacea. May. Dark violet, 2 to 2½ ft	35	3 00	
cristata. April and May. Light blue. 6 in	25	1 50	12 50
Florentina. May. Tinted white. Fragrant. 1½ ft	25	2 00	
<b>Germanica.</b> May, Named varieties, $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June	~-	0.00	44 00
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	25	2 00	15 00
Customer's selection	35	3 00	25 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.	35	3 00	25 00
2 to 3 ft	$\frac{55}{25}$	$\frac{3}{2} \frac{00}{00}$	$\frac{25}{15} \frac{00}{00}$
numila nova May Various colors 8 to 10 in	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	$\frac{13}{12} \frac{50}{50}$
pumila nova. May. Various colors. 8 to 10 in. Sibirica. May and June. Bright blue. 1½ ft.	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	10 00
Sibirica, var. alba. June. White, 2 ft. Rare.	$\tilde{3}\tilde{5}$	3 00	$\frac{10}{25} 00$
Sibirica, var. orientalis. May. Deep blue. 1½ ft.	25	1 50	10 00
tectorum. May, Bright lilac. 1 ft	25	2 00	15 00
57			

	ach	1	0	100
KNIPHOFIA aloides (Red-hot Poker). August and September, Crimson. 3 ft	25	\$1	50	\$12.50
3 to 4 ft	35	2	50	15.00
Pfitzerii (Flame Flower). July to October. Orange-scarlet. 3 to 4 ft	35	_	50	15 00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	~-	_		
letifolius reserve Climbing	$\frac{25}{25}$	2	00	
latifolius, var. roseus. Summer. Rose. Climbing. latifolius, var. splendens. Summer. Climbing	$\frac{20}{25}$	5	00 00 00	15 00
latifolius, var. Pink Beauty. Summer. Bright	25		00	15 00
pink. Climbing	25	1	50	
vera (Lavender). 15 to 18 in	$\frac{25}{25}$		50	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
LIATRIS graminifolia (Blazing Star). August and		1	*30	12 50
September Rosy purple 2 ft	25	1	50	12 50
pycnostachya (Kansas Gay Feather). Septem-	219	_	*50	12 00
September, Rosy purple, 2 ft	25	1	50	-12/50
spicata (Gay Feather). August and Septem ber. Deep purple. 3 to 4 ft	0-	-	=0	10 50
	25	1	50	12 - 50
LILIUM Canadense (Meadow Lily). July. Shades of	25	-1	=0	12.50
yellow. 2 to 4 ft	20	7	50	12 50
Orange-scarlet. 2 to 4 ft	25	2	00	15 00
speciosum, var. roseum (Japan Lily). July and		_		
August. Rosy white. 2 to 4 ft tigrinum (Tiger Lily). August. Salmon-red.	25	2	00	15 00
tigrinum (Tiger Lily). August. Salmon-red.	25	7	50	12 50
3 to 4 ft.	(نک	1	90	12 00
LINUM Austriacum (Austrian Flax). June to August, Bluish purple, 18 in	25	1	75	
perenne (Perennial Flax). June to September.	-0	7	10	
Clear blue. 18 in	25	1	75	
LOBELIA cardinalis (Cardinal Flower). August				
and September. Scarlet. 2 to 3 ftsyphilitica (Blue Lobelia). August and Sep-	25	1	50	-12 - 50
syphilitica (Blue Lobelia). August and Sep-	05	-1	=0	
tember. Deep blue. 2 ft	25	.1	50	
LYCHNIS Chalcedonica (London Pride). July to September. Vermilion, 2 to 3 ft	25	1	50	12.50
		Т	90	1 m +)()
coronaria (Rose Campion). June and July. Crimson. $1\frac{1}{2}$ to $2$ ft	25	1	25	10.00
coronaria, var. alba. June and July. White.				
$\frac{1\frac{1}{2}}{2}$ to 2 ft	$\frac{25}{25}$		$\frac{25}{50}$	10 00
Haageana. June and July. Orange-scarlet. 1½ ft. vespertina, var. alba plena (White Campion).	40	7	OO.	
May to September. White, 1 ft	25	1	50	12 50
May to September. White. 1 ftviscaria (Catchfly). June and July. Red. 1½ ft.	25	1	50	12 - 50
viscaria, var. splendens. (German Catchfly).  June and July. Pink. 15 in				
	25	1	50	12 50
LYSIMACHIA clethroides (Loosestrife). July to	0-	-1	0-	10.00
September. White. 1½ ft	25	.1	25	10 00
nummularia (Moneywort). June to August. Yellow. Creeping	25	1	50	10.00
LYTHRUM roseum superbum (Rose Loosestrife).				
July to September, Rose, 3 ft	25	1	50	12 50
MERTENSIA pulmonarioides (Virginia Cowslip).				
May and June. Blue, 2 ft	25	1	50	10 00

	Each	10	100
PHLOX amena. May. Bright pink, 3 to 4 in\$0	$\frac{25}{25}$	\$1 50 1 50	\$10 00
Carolina. May and June. Rosy red. 1 ft divaricata (Wild Sweet William). May and	2.9	1 00	
June. Lavender. 1 ft	25	1 50	12 50
paniculata; syn., decussata (Perennial Phlox). See the Calendar of Hardy Perennials for			
Special List, All colorssubulata (Mountain Pink). May and June.	25	2 00	15 00
Rose. Creeping	25	1 50	10 00
subulata, var. alba. May and June. White.	25	1 50	10.00
Creepingsubulata, yar. atropurpurea. May and June.		1 90	10 00
Purple. Creeping	25	1 50	
Purple. Creeping	25	1 50	12 50
white. Creeping	25	1 50	10 00
white. Creeping	0-	4 50	40.00
white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead).  August. Deep rose, 3 ft	25	1 50	
Virginiana, var. alba. August. White. 3 ft	25	1 50	10 00
Virginiana, var. speciosa. August. Pink. 3 ft.	25	1 50	10 00
PLATYCODON grandiflorum (Balloon-flower). July.	25	1 50	
Blue, 1½ ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	
grandiflorum, var. album. July. White. 1½ ft. grandiflorum, var. Mariesi. June to October.			
Blue. 1 ft	25	1 50	12 50
POLEMONIUM corruleum (Jacob's Ladder). May to	25	2 00	15 00
July. Deep blue. $1\frac{1}{2}$ ft		_ 00	10 00
$1\frac{1}{2}$ to 2 ft	25	2 00	
PRIMULA acaulis (Primrose). May. Yellow. 6 to 9 in	25	1 50	12 50
capitata (Primrose). Deep lilac, 9 in	$\tilde{2}_{5}^{\prime\prime}$	$\frac{1}{1} \frac{30}{50}$	$12 \ 50$
capitata (Primrose). Deep lilac. 9 in suaveolens (Cowslip). May. Yellow and	25	4 50	10.50
orange. 1 ftveris (Polyanthus). May, Yellow and orange-	(نشد	1 50	12 50
crimson. 6 to 9 in	25	1 50	12 50
vulgaris (English Primrose). May. Yellow. 6 to 9 in	25	1 50	12 50
PYRETHRUM roseum (Feverfew). June and July.	40	1 00	12 00
White, pink and red. $1\frac{1}{2}$ to $2$ ft	25	1 50	10 00
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	35	3 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).	25	1 50	
June. White. 1½ to 2 ft			
June. Yellow. 2 ft	25	1 50	
repens (Double Buttercup). May to July. Yellow. 1 ft	25	1 50	10 00
ROSMARINUS officinalis (Rosemary). Scented			
foliage	25	1 50	
RUDBECKIA laciniata, var. Golden Glow. July to	25	1 25	10 00
September. Yellow. 8 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	10 00
nitida (Cone-flower). August and September.			
Pale yellow, 5 ft	25	1 50	10 00

25

1 50

10 00

	Each	10	100
THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in	25	<b>\$</b> 1 50	\$10 00
aquilegifolium (Feathered Columbine). June. White. 2 to 4 ft	25	1 50	,
polyganum (Tall Rue). June. White. 3 to 4 ft.	25	1 50	
purpurascens. June to August. Purple. 3 to 4 ft.	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to	25	1 50	
mollis. May to July, Yellow, 2 to 3 ft	25	1 50	
THYMUS montanus, var. coccineus (Scarlet Thyme).  May. Bright red. 4 in.	25	1 50	
vulgaris (Common Thyme). May. Lilac. 1 to 2 ft.	25	1 25	
TRADESCANTIA Virginiana (Spiderwort). June to			
October. Purple. 2 ft	25	1 50	12 50
2 ft	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in	25	1 50	
grandiflorum (Wood Lily). March and April. White. 9 to 12 in	25	1 50	
TROLLIUS Europæus (Globe-flower), May to August.	0=	1 50	10 50
Yellow, 2 ft	25	1 50	12 50
Reddish. 2 ft	25	1 50	10 00
Rose-pink. 2 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\frac{10}{10} \frac{00}{00}$
rubra. June to October. Red. 2 ft  VERBASCUM Olympicum (Mullein). July to Sep-		1 90	
tember. Yellow. 6 ft	25	1 50	12 50
ber. Red. 5 ft	25	2 00	
Baldwini. August to October. Purple. 4 ft VERONICA longifolia, var. rosea (Speedwell). July	25	$\bar{2} \ 00$	
to October. Rose. 1½ ft	25	1 50	
ber. Deep blue. 1½ to 2 ft rupestris (Rock Speedwell). June and July.	25	2 00	15 00
rupestris (Rock Speedwell). June and July. Blue Spreading	25	1 50	10 00
Blue Spreading spicata. June to September. Bright blue.	25	1 50	10 00
1½ ft. Virginica. August to September, White, 4 ft.	$\overline{25}$	1 50	10 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet).	25	1 50	12 50
May. Purple and White, 4 in	$\tilde{2}_{5}^{\circ}$	$\frac{1}{1} \frac{.00}{.25}$	10 00

#### A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

### **FERNS**

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places. Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
ASPLENIUM Filix-fæmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils. BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations. **ONOCLEA sensibilis** (Sensitive Fern). 1 to 2 ft. For open planting and wet soils. Struthionteris (Ostrich Fern), 2 to 4 ft. For open positions, dry or moist soils. OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils. WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil. WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils. The above varieties, 25 cts. each, \$2 per 10, \$15 per 100.

The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

#### **HEDGE PLANTS**

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES			
Biota orientalis	Thuya occidentalis		
DECIDUOL	JS TREES		
Carpinus Americana         24           Betulus         24           Cratægus Crus-galli         26	Cratægus Oxyacantha		
EVERGREEN SHRUBS			
Azalea amœna	llex crenata microphylla		
DECIDUOUS SHRUBS			
Acanthopanax spinosa	Hippophae rhamnoides 40 Ligustrum Ibota, Regelianum, ovalifolium, vulgare 41 Lonicera Tatarica 42 Rhamnus cathartica 43		

## **OUR CATALOGS**

**THE ANDORRA HANDBOOK.** Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- **BEAUTIFUL LAWNS, BOOKLET No. 27.** This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- **BOXWOOD**, **BOOKLET No. 28.** For formal gardens and in connection with architectural effects, **BOXWOOD** is now absolutely necessary. This booklet shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET No. 30. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

## MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height),  $2\frac{1}{2}$  to  $2\frac{3}{4}$  in. (caliper).

# **DEPARTMENTS**

PAGE	PAGE
Fertilizers 2	Vines and Climbing Plants47
General Instructions and Terms 3	Fruit and Small Fruits,49, 50
Evergreen Trees 4	Roses50
Evergreen Shrubs	Herbaceous Plants51
Deciduous Trees20	Ferns
Deciduous Shrubs33	Hedge Plants63
Reeds and Grasses47	Catalogs

	INDEX	
PAGE	PAGE	PAGE
Aaron's Beard40	Baby's Breath56	Catalpa24
Abelia	Baccharis35	Ceanothus
Acanthus51	Bambusa47	Cedrela24
Acanthopanax33	Baptisia53	Cedrus 5
Acer20-22	Barberry35	Celastrus47
Achillea51	Basswood	Celtis25
Aconitum51	Bear's Breech51	Cephalanthus36
Actinidia47	Beauty-fruit35	Cephalotaxus 5
Adam's Needle20	Beech26	Cerastium54
Adiantum63 Æsculus23, 33	Belemcanda53	Cerasus16, 25 Ceratostigma54
Ailanthus23	Bell-flower54	Cercidiphyllum25
Ajuga51	Bellis53	Cercis
Akebia47	Benzoin35	Chamædaphne16
Alder23	Berberis35	Chamomile52
Allspice, or Sweet Shrub35	Betonica. See Stachys.	Chaste Tree47
Shrub35	Betula24	Chelone54
Alnus23	Bignonia47	Cherries49
Althæa (see, also, Hibiscus)39, 40, 51	Balloon-flower60 Biota4-5	Cherry
Alum Root	Birch24	Chinese Angelica Tree.23
Alyssum51	Bittersweet47	Chinese Arborvitæ 5
Amelanchier23, 33	Black Alder23	Chinese Cork Tree29
Amorpha34	Blackberries49	Chionanthus36
Ampelopsis47	Black Haw47	Chokeberry43
Amygdalus. See Prunus.	Black Walnut27	Christmas Rose56
Anchusa	Bladder Nut44 Bladder Senna36	Chrysanthemum54
Andromeda (see, also, Oxydendrum)15, 23	Blanket-flower55	Chrysogonum54 Chrysopsis54
Anemone	Blazing Star58	Cimicifuga54
Anthemis52	Bleeding Heart55	Cineraria. See Arte-
Apples49	Blue Spirea35	misia.
Aquilegia52	Bocconia53	Cinquefoil42
Arabis	Boltonia53	Cladrastris25
Aralia23	Botrychium63	Clematis48, 54
Arborvitæ4, 5, 13 Arenaria52	Box	Clethra
Aristolochia57	Broussonetia24	Colutea36
Armeria53	Buckthorn43	Comptonia36, 37
Aronia, See Pyrus,	Butterfly Weed53	Cone-flower55, 60
Arrow-wood46	Buttonwood30	Conoclinium54
Artemesia53	Buxus	Convallaria54
Arundo	Calimeris53	Coral Berry44
Asclepias	Callicarpa35 Callirhoe54	Corchorus
Asparagus50	Calveanthus35	Cornus25, 36, 37
Aspidium63	Campanula54	Corylus37
Asplenium63	Candytuft57	Cotoneaster16, 37
Aster53	Caragana35	Crab Apples30
Astilbe53	Cardinal-flower58	Cranberry Bush46
Astrantia53	Carpinus24	Cratægus17, 25, 26
Aubrietia	Caryopteris35 Castanea24	Cryptomeria 5 Cucumber Tree 28
Azaica	Castanca24	Cucumper Tree28

#### ANDORRA NURSERIES

PAGE	PAGE	PAGE
Cupressus	Ginkgo         32           Gleditschia         27           Globe-flower         36           Goat's Beard         61	Kniphofia 58 Kœlreuteria 27 Kudzu Vine 48 Larch 27
Currant43, 49 Cydonia37	Gleditschia27	Kœlreuteria27
Cydonia 37	Globe-flower36	Kudzu Vine48
Cynnogg 0 19 29	Goat's Beard61	Larch
Cypress9, 12, 32 Cytisu27, 37	Gold-flower 40	Larix 26
Cytisu21, 31	Golden Bell 39	Larkennr 55
Daisy	Goldon Chain 26	Larkspur .55 Lathyrus .48, 58 Laurel .16-17
Day Lily	Colden Tuft 51	Lampel 16 17
D	Gold-flower 40 Golden Bell 39 Golden Chain 26 Golden Tuft 51 Glyptostrobus, See Tax-	Laurer
Decidnons Shrubs .23-47	odium.	Lavandula       58         Lavender       58         Lavender-cotton       61
Decidnous Trees 20-33		Lavender
Deciduous Shruks .33-47 Deciduous Trees .20-33 Delphinium55 Desmodium. See Lespedeza .37 Deutzia .37, 38 Dianthus .55	Gooseberries49 Grapes48-49	Lespedeza40
Desputition See Les-	Grapes46-49	
podoza 37	Groundsel Shrub . 35, 61 Guelder Rose	Liatris58
Doutrie 27 38	Guelder Rose46	Ligustrum40-41 Lilae44
Dianthna 55	Gymnociadus27	Lilae44
Diantinus	Gypsophila56	Lilium58
Dicentra	Halesia39	Lily-of-the-valley54 Linden32-33
Dicksonia63	Hamamelis39	Linden32-33
Dictamnus55	Hardy Roses50-51 Hawthorn26	Linum
Diervilla38	Hawthorn26	Liquidambar 28 Liriodendron 28 Liver Leaf 56
Digitalis55	Hazel 37-39	Liriodendron28
Diospyros26	Hedera48	Liver Leaf56
Dogwood25, 36-37	Hedge Plants63	Lobelia58
Digitalis	Hedera       48         Hedge Plants       63         Helenium       56	Locust 27 32
Doronicum	Helianthus56	London Pride58 Lonicera41, 42, 48
Dutchman's Pipe47	Holiopeie 56	Lonicera 41, 42, 48
Doronicum	Helleborus	Loosestrife58
Elæagnus	Hemerocallis or Day	Lychnis58
Elder 43	Lily 56	Lycium42
	Homlook 14	Lysimachia58
Elymps 47	Hemiock	Lythrum58
English Primrose 60	Hepatica	Machine
Elymus	Hemlock 14 Hepatica 56 Herbaceous Plants 51-62 Heuchera 56	Maclura
Enionthus 47	Heuchera	Magnona28
Erigeron .55 Eryngium .55 Esculent Roots .50 Eulalia .47 Euonymus .17, 39, 48 Eupatorium .55 Euphorbia .55	Hibiscus39, 40, 57 High Cranberry Bush 46 Hippophae40 Holly17	Maclura 28 Magnolia 28 Mahonia 17
Erigeron	High Cranberry Bush 46	Maidenhair Tree32 Maple20-23
Eryngium	Hippophae40	Maple20-23
Esculent Roots50	Holly	Matrimony Vine42
Eulana41	Hollyhocks (see, also, Althæa)51	Meadow Rue61 Meadow Sweet61
Euonymus17, 39, 48	Althæa)51	Meadow Sweet61
Eupatorium55	Honey Locust27	Mertensia
Euphorbia55	Honeysuckle41, 48	Mint-flower54
Evening Primrose59 Evergreen Shrubs15-20	Honey Locust 27 Honeysuckle 41, 48 Hop Tree 30	Mist, or Smoke Tree43 Mock Orange42
Evergreen Shrubs15-20	Hormbeam24	Mock Orange42
Evergreen Thorn17	Horse chestnut 92	Monarda59
Evergreen Trees4-15 Everlasting Pea48	Hydrangea 40 Hypericum 40 Iberis 57 Ilex 5, 17, 40	Moneywort 58
Everlasting Pea48	Hypericum40	Monkshood 51
Exochorda39	Iberis	35
Fagus	Ilex 5, 17, 40	Mountain Ash32
Exochorda 39 Fagus 26 Ferns 63	Inula57	Mourning Bride61
Festuca	Îris57	Mulberry24. 29
Festuca	Iron Weed62	Mountain Ash   32   Mourning Bride   61   Mulberry   24, 29   Myosotis   59   Myrica   42   Negundo   See Acer Ne-
Fir 4	11109 401	Myrica42
Flame-flower	Jacob's Ladder60 Japanese Maples22-23 Japan, or Boston Ivy27	Negundo See Acer Ne-
Flowering Almond 43	Jananasa Manlas 22-23	gundo.
Flowering Almond43 Flowering Crab30	Japan or Roston Ivy 97	Nonote 50
Forget-me-not59	Japan, Or Buston 17721	Nepeta         59           Nettle Tree         25           Nuts         49
Forsythia39	Japan Cypress 9	Nuta 11ee
Forgleres 55	Japan Ouines 27	Nyassa29
For Crops	Japan Quince	Oak
Fox Grape48	Japanese Snowban46	Oak
Foxgloves         55           Fox Grape         48           Fraxinus         27           Fruit         49	Japan, or Boston Ivy. 27         Japan Cypress. 9         Japan Judas. 36         Japan Quince. 37         Japanese Snowball. 46         Jasmine. 40         Jasminum. 40         Jersey Tea. 36         Judas Tree. 25         Juglans. 27         Juneberry. 23	Genothera 59 Old Man 53 Old Woman 53
Fruit49	Jasminum40	Old Man
G-illandia	Jersey Tea36	Old Woman53
Funkia 55 Gaillardia 56 Galega 56 Gas Plant 55 Gersnium 58	Judas Tree25	Oleaster
Galega56	Juglans27	Onoclea63
Gas Plant55	Juneberry       23         Juniperus       5-6-7         Kalmia       17	Ophiopogon 59 Oriental Plane 30 Oriental Poppy 59
	Juniperus5-6-7	Oriental Plane39
German Catchfly56 Geum56	Kalmia17	Oriental Poppy59
Geum56	Kentucky Coffee Tree.27	Osage Orange28 Osmanthus17
Gillenia56	Kerria. See Corchorus.43	Osmanthus17

PAGE	PAGE	PAGE
Osmunda	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fra-	Ribes43	Sycamore30
grant Balm59	Robinia32, 43	Symphoricarpus
Oxydendrum29	Rock Cress	Syringa44
Pæonia59	Rockfoil61	Tanacetum61
Pachysandra59 Papaver59	Rose Acacia43	Tamarix46
Papaver	Rose Campion58	Taxodium32
Pardanthus. See Bel-	Rosemary60	Taxus
emcanda.	Rose of Sharon39, 40	Tecoma. See Bignonia.
Parrotia29	Roses	Taxus 11-12 Tecoma. See Bignonia. Thalictrum 62 Thermopsis 62 Thorm 25 26
Paulownia29	Rosmarinus	Thermopsis
Pavia. See Æsculus. Peaches	Rubus43	
Peaches	Rudbeckia60	Thorn, Evergreen17 Thrift53
Pears49	Rugosa Roses51	Thuya
Pentstemon59	Salisburia32	Thujopsis
Periploca48	Salix32	Thymns 62
Periwinkle 62	Salvia	Thymus
Periwinkle62 Persian Iron Tree29	Sambucus	Tiger Lily 58
Persica29	Sandwort52	Tiger Lily58 Tilia32-33
Persimmon26	Sanguinaria61	Tradescantia62
Phalaris47	Santolina61	Tree of Heaven23
Phellodendron29	Saxifraga61	Trillium
Philadelphus42	Scotch Broom37	Trollius62
Phillyrea	Scabiosa61	Trollius
Phlox60	Sciadopitys11	Tsuga
Physostegia60	Sea Buckthorn40	Tulip Tree28
Picea7-8	Sea Holly55	Ulmus33
Pine8-9, 11	Sea Lavender        61           Senecio        61	Umbrella Tree28
Pinks60	Senecio	Vaccinium46
Pinus8-9	Sedum	Valeriana62
Plane30	Sheepsberry46 Shrub Yellow Root47	Valerian
Platanus	Shrub Tellow Root41	Varnish Tree27 Verbascum62
Platycodon	Shrubby Cinquefoil42           Silene61           Silk Vine48	Vernonia
Plumbago	Silly Vino 48	Vernoina
Podocarpus9	Small Fruits49	Viburnum46-47
Polemonium60	Smilacina61	Vinca 62
Poplar30	Snakeroot55	Vines and Climbing
Populus30	Snakeroot	Vines and Climbing Plants47, 48 Viola62
Populus	Snowberry44 Sophora32	Viola62
Potentilla42	Sophora32	Virgilia
Primrose59-60	Sorbus32	Virginia Creeper47
Primula 60	Speedwell	Vitex47
Privet	Spice Bush35	Vitis
Prunus. See, also,	Spiderwort62	Walnut 27-49
Cerasus30, 42	Spindle Tree39	Wax Myrtle42
Pseudotsuga9	Spindle Tree39 Spiræa43, 44, 53, 61 Spruce7, 8, 9	Wayfaring Tree46 Weigela38
Ptelea30	Stachys	White Enings 26
Pterostyrax30 Pueraria48	Stachylos 44	White Fringe36 White Rod46
Purple Mist43	Staphylea44 Statice61	Wolf's-bane51
Pyrethrum60	Stephanandra45	Willow32
Pyrns 30 42	Otoliogia 61	Windflower 51-59
Quercus	Stokes' Aster	Winola47
Quinces	Stonecrop61	Winter Berry40
Ranunculus 60	Strawberries50	Wistaria48
Raspberries50	Strawberry Bush39	Witch Hazel39
Raspberries50 Red Bud, or Judas 25 Reeds and Grasses 47	Styrax	Woodsia63
Reeds and Grasses47	Sumac31-32, 43	Woodwardia63
Retinospora9-11	Sunflower	Xanthoceras47
Rhamnus43	Swamp Huckleberry46	Xanthorrhiza47
Rhododendron18	Sweet Fern36	Yarrow51
Rhodotypus	Sweet Gum28	Yarrow51 Yellow Wood25 Yew5, 9, 11, 12 Yucca20
Phus 21,29 42	Sweet William54, 60 Sweet Pepper Bush36	Vuone 90
11110 11-02, 40	Sweet repper bush30	, rucca20

# Plant for Immediate Effect

# Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

# AS AN EXAMPLE

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

# AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
OUALITY IN TREES MEANS SUCCESSFUL PLANTING